

TASORO Extended Lighting Catalog




TABLE OF CONTENTS

- 1.FAMILY COLLECTIONS.....
- 2.PENDANT LIGHTING.....
- 3.MIN-PENDANT.....
- 4.BATH & VANITY LIGHT.....
- 5.LED BATHROOM MIRROR
- 6.CEILING LIGHT.....
- 7.UNDER CABINET LIGHTS.....
- 8.WALL SCONCE.....
- 9.OUTDOOR LIGHTING.....
- 10.ARCHITECTURE LIGHTS OUTDOOR.....
- 11.TABLE LAMP & FLOOR LAMP.....

Home Lighting

Call Us:310-882-9747
Locations:14107 Brighton Ave. Gardena,
CA 902498520 Production Ave.
San Diego, CA 92121
Our email:info@tasoroproducts.com
Website: <https://tasoroproducts.com/>

FAMILY COLLECTIONS



CBI Series



A 1379-3-BK



B 1379-1-SG



C 2379-1-BK



D 2379-2-BK



E 2379-3-BK



F 2379-4-BK

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1379-3-BK	3Lt Chandelier	18" WX 21-1/2" H	BK	Steel+Clear Glass	120V	3x60W
B 1379-1-SG	1Lt Pendant	5" WX 42" H	SG	Steel+Clear Glass	120V	1x60W
C 2379-1-BK	1Lt Vanity Wall Light	5" WX 9" H X 6-3/4" E	BK	Steel+Clear Glass	120V	1x60W
D 2379-2-BK	2Lt Vanity Wall Light	14" WX 9" H X 6-3/4" E	BK	Steel+Clear Glass	120V	2x60W
E 2379-3-BK	3Lt Vanity Wall Light	21-1/8" WX 9" H X 6-3/4" E	BK	Steel+Clear Glass	120V	3x60W
F 2379-4-BK	4Lt Vanity Wall Light	28-7/8" WX 9" H X 6-3/4" E	BK	Steel+Clear Glass	120V	4x60W
G 2379-5-BK	5Lt Vanity Wall Light	36-7/8" WX 9" H X 6-3/4" E	BK	Steel+Clear Glass	120V	5x60W

CBJ Series



A 1042-9-BK



B 1042-6-BK

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1042-9-BK	9Lt Chandelier	32"Wx32"H	BK	Steel	120V	9x60W E12
B 1042-6-BK	6Lt Chandelier	27"Wx27"H	BK	Steel	120V	6x60W E12



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1042-54-BZ	54Lt Chandelier	62-1/2"Wx58"-102-7/8"H	BZ	Steel	120V	54x60W E12

CAA Series



A 1409-5-OZ




B 2409-1-OZ



C 3409-4-OZ

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1409-5-OZ	6Lt Chandelier	25-3/4"WX22"H	OZ	Steel+Fabric	120V	5x60W
B 2409-1-OZ	1Lt Wall Sconce	6"WX8"HX4"E	OZ	Steel+Fabric	120V	1x60W
C 3409-4-OZ	4Lt Semi-Flush Mount Ceiling Light	18"WX14"H	OZ	Steel+Fabric	120V	4x60W

CBK Series



A 1025-5-BK-1



B 1025-5-BK-2

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1025-5-BK-1	5Lt Pendant Ceiling Light	32"WX5"DX39-3/4"H	BK	Steel+ Clear Glass	120V	5x60W E26
B 1025-5-BK-2	5Lt Pendant Ceiling Light	32"WX5"DX35-1/2"H	BK	Steel	120V	5x60W E26

CBL Series



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1022-20-GLD	20Lt Chandelier	60" WX90-5/8" - 220" H	GLD	Steel+ Frosted Glass	120V	20x60W E12

CAB Series



A 1189-4-BRS



B 3189-2-BRS



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1189-4-BRS	4Lt Pendant Ceiling Light	42" WX57" H	BRS	Steel	120V	4x60W
B 3189-2-BRS	2Lt Ceiling light	24" LX7-7/8" WX4-5/8" H	BRS	Steel	120V	2x60W

CAM Series



A 1081-1-BK



B 1081-3-BK

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1081-1-BK	1Lt Pendant Lighting	13" WX 13" H	BK+AB+CH	Steel	120V	1x60W
B 1081-3-BK	3Lt Pendant Lighting	15" WX 15" H	BK+AB+CH	Steel	120V	3x60W

CAL Series



A 1080-3-BK



B 1080-5-BK



C 1080-6-BK

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1080-3-BK	3Lt Cage Lamp	12" WX 11-1/2" H	BK+CH	Steel	120V	3x60W
B 1080-5-BK	5Lt Cage Lamp	18" WX 17-1/2" H	BK+CH	Steel	120V	5x60W
C 1080-6-BK	6Lt Cage Lamp	24" WX 23" H	BK+CH	Steel	120V	6x60W

CAO Series



A 1130-5-BN



B 1130-3-BN



C 1130-1-BN



D 1130-16-BN



E 3130-13-BN



F 3130-15-BN



G 1130-15-BN



H 2130-2-BN



I 2130-3-BN

Additional Finishes:



ORB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1130-5-BN	5Lt Chandelier	22-1/8" WX20-3/8"H	BN	Frosted Glass+Steel	120V	5x60W
B 1130-3-BN	3Lt Chandelier	22-1/8" WX20-3/8"H	BN	Frosted Glass+Steel	120V	3x60W
C 1130-1-BN	1Lt Pendant Lighting	15-7/8" WX20"H	BN	Frosted Glass+Steel	120V	1x60W
D 1130-16-BN	1Lt Pendant Lighting	15-7/8" WX9-1/2"H	BN	Frosted Glass+Steel	120V	1x60W
E 3130-13-BN	2Lt Ceiling Light	13" WX6-3/4"H	BN	Frosted Glass+Steel	120V	2x60W
F 3130-15-BN	3Lt Ceiling Light	15" WX7-1/2"H	BN	Frosted Glass+Steel	120V	3x60W
G 1130-15-BN	2Lt Pendant Lighting	15-3/8" WX17-3/8"H	BN	Frosted Glass+Steel	120V	2x60W
H 2130-2-BN	2Lt Bath Lighting	18" WX8-3/4" HX8-1/2"E	BN	Frosted Glass+Steel	120V	2x60W
I 2130-3-BN	3Lt Bath Lighting	24-1/2" WX8-3/4" HX8-1/2"E	BN	Frosted Glass+Steel	120V	3x60W

CAP Series



A 1131-9-BN



B 1131-5-BN



E 2131-1-BN



C 1131-3-BN



F 2131-2-BN

D 1131-1-BN



Additional Finishes:



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1131-9-BN	9Lt Chandelier	27" WX 24-7/8" H	BN	Frosted Glass+Steel	120V	9x60W
B 1131-5-BN	5Lt Chandelier	22-1/4" WX 17-7/8" H	BN	Frosted Glass+Steel	120V	5x60W
C 1131-3-BN	3Lt Chandelier	19-1/2" WX 18" H	BN	Frosted Glass+Steel	120V	3x60W
D 1131-1-BN	1Lt Pendant Lighting	4-1/2" WX 6-1/2" H	BN	Frosted Glass+Steel	120V	1x60W
E 2131-1-BN	1Lt Wall Sconce	4-1/2" WX 11" HX 7-3/8" E	BN	Frosted Glass+Steel	120V	1x60W
F 2131-2-BN	2Lt Bath Lighting	16" WX 7-1/4" HX 7-1/8" E	BN	Frosted Glass+Steel	120V	2x60W
G 2131-3-BN	3Lt Bath Lighting	22-7/8" WX 7-1/4" HX 7-1/8" E	BN	Frosted Glass+Steel	120V	3x60W
H 2131-4-BN	4Lt Bath Lighting	29-3/4" WX 7-1/4" HX 7-1/8" E	BN	Frosted Glass+Steel	120V	4x60W



G 2131-3-BN



H 2131-4-BN

CAQ Series



A 1133-5-BN



B 1133-3-BN



C 1133-22-BN



D 1133-17-BN



F 2133-2-BN



G 2133-3-BN



E 3133-16-BN



H 2133-4-BN

Additional Finishes:



ORB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1133-5-BN	5Lt Chandelier	27-1/2"W X 22-3/4"H	BN	Frosted Glass+Steel	120V	5x60W
B 1133-3-BN	3Lt Chandelier	24-3/4"W X 21-3/4"H	BN	Frosted Glass+Steel	120V	3x60W
C 1133-22-BN	3Lt Pendant Lighting	21"W X 22"H	BN	Frosted Glass+Steel	120V	3x60W
D 1133-17-BN	3Lt Pendant Lighting	17-1/2"W X 16-1/2"H	BN	Frosted Glass+Steel	120V	3x60W
E 3133-16-BN	3Lt Ceiling Light	16"W X 7-1/8"H	BN	Frosted Glass+Steel	120V	3x60W
F 2133-2-BN	2Lt Bath Lighting	15-1/2"W X 11"H X 7-5/8"E	BN	Frosted Glass+Steel	120V	2x60W
G 2133-3-BN	3Lt Bath Lighting	24"W X 11"H X 7-5/8"E	BN	Frosted Glass+Steel	120V	3x60W
H 2133-4-BN	4Lt Bath Lighting	32-1/2"W X 11"H X 7-5/8"E	BN	Frosted Glass+Steel	120V	4x60W

CAT Series



A 1132-9-DB



B 1132-5-DB



D 2132-1-DB-2



C 1132-3-DB



E 2132-2-DB-2



F 2132-3-DB-2



G 2132-4-DB-2

Additional Finishes:



SN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1132-9-DB	9Lt Chandelier	35" WX28-1/4" H	DB	amber color & sandblast outside Glass+Steel	120V	9x60W
B 1132-5-DB	5Lt Chandelier	27" WX20-3/8" H	DB	amber color & sandblast outside Glass+Steel	120V	5x60W
C 1132-3-DB	3Lt Chandelier	24" WX19-3/8" H	DB	amber color & sandblast outside Glass+Steel	120V	3x60W
D 2132-1-DB-2	1Lt Wall Sconce	11-3/8" WX8-3/4" HX8" E	DB	amber color & sandblast outside Glass+Steel	120V	1x60W
E 2132-2-DB-2	2Lt Bath Lighting	19-1/4" WX8-3/4" HX8" E	DB	amber color & sandblast outside Glass+Steel	120V	2x60W
F 2132-3-DB-2	3Lt Bath Lighting	25-1/4" WX8-3/4" HX8" E	DB	amber color & sandblast outside Glass+Steel	120V	3x60W
G 2132-4-DB-2	4Lt Bath Lighting	33-1/4" WX8-3/4" HX8" E	DB	amber color & sandblast outside Glass+Steel	120V	4x60W

CAR Series



A 1153-9-SN



B 1153-3-SN



C 1153-5-SN



D 1153-13-SN

Additional Finishes:



ORB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1153-9-SN	9Lt Chandelier	29-7/8" WX26" H	SN	Frosted Glass+Steel	120V	9x60W
B 1153-3-SN	3Lt Chandelier	24-1/4" WX19" H	SN	Frosted Glass+Steel	120V	3x60W
C 1153-5-SN	5Lt Chandelier	24-1/4" WX19" H	SN	Frosted Glass+Steel	120V	5x60W
D 1153-13-SN	2Lt Pendant Lighting	13-1/8" WX14-1/8" H	SN	Frosted Glass+Steel	120V	2x60W

CAS Series



A 1132-23-DB



C 2132-1-DB-2



B 1132-19-DB



D 2132-2-DB-2



E 2132-3-DB-2



F 2132-4-DB-2

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1132-23-DB	3Lt Semi-Flush Mount	19" WX14" H	DB	amber color & sandblast outside Glass+Steel	120V	3x60W
B 1132-19-DB	2Lt Pendant Lighting	19-1/2" WX20-5/8" H	DB	amber color & sandblast outside Glass+Steel	120V	2x60W
C 2132-1-DB-2	1Lt Wall Sconce	6-3/4" WX9" HX8-1/2" E	DB	amber color & sandblast outside Glass+Steel	120V	1x60W
D 2132-2-DB-2	2Lt Bath Lighting	16-7/8" WX9" HX8-1/2" E	DB	amber color & sandblast outside Glass+Steel	120V	2x60W
E 2132-3-DB-2	3Lt Bath Lighting	27" WX9" HX8-1/2" E	DB	amber color & sandblast outside Glass+Steel	120V	3x60W
F 2132-4-DB-2	4Lt Bath Lighting	37-1/8" WX9" HX8-1/2" E	DB	amber color & sandblast outside Glass+Steel	120V	4x60W

CAU Series



A 1165-9-OZ



B 1165-3-OZ-1



C 1165-5-OZ



D 1165-3-OZ-2



E 1165-18-OZ



F 1165-16-OZ

Additional Finishes:



AP

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1165-9-OZ	9Lt Chandelier	33" WX32-1/4" H	OZ	Frosted Glass+Steel	120V	9x60W
B 1165-3-OZ-1	3Lt Island Light	27-1/4" WX21-1/8" H	OZ	Frosted Glass+Steel	120V	3x60W
C 1165-5-OZ	5Lt Chandelier	25-3/4" WX22-3/4" H	OZ	Frosted Glass+Steel	120V	5x60W
D 1165-3-OZ-2	3Lt Chandelier	22" WX18-3/4" H	OZ	Frosted Glass+Steel	120V	3x60W
E 1165-18-OZ	3Lt Pendant Lighting	18-5/8" WX22-3/8" H	OZ	Frosted Glass+Steel	120V	3x60W
F 1165-16-OZ	2Lt Semi-Flush Mount	16-1/8" WX14-1/4" H	OZ	Frosted Glass+Steel	120V	2x60W

CAXSeries



A 1163-9-BN



B 1163-3-BN



D 1163-12-BN



C 1163-5-BN

Additional Finishes:



OZ

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1163-9-BN	9Lt Chandelier	32-1/2"Wx26-5/8"H	BN	Satin Etched White Glass+Steel	120V	9x60W
B 1163-3-BN	3Lt Chandelier	18"Wx14"H	BN	Satin Etched White Glass+Steel	120V	3x60W
C 1163-5-BN	5Lt Chandelier	25-1/4"Wx17-7/8"H	BN	Satin Etched White Glass+Steel	120V	5x60W
D 1163-12-BN	3Lt Rndant Lamp	12-3/4"Wx24-1/8"H	BN	Satin Etched White Glass+Steel	120V	3x60W

CAY Series



A 1164-9-BN



B 1164-5-BN



E 2164-1-BN



C 1164-1-BN



F 2164-2-BN



D 1164-19-BN



G 2164-3-BN



H 2164-4-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1164-9-BN	9Lt Chandelier	31-7/8"Wx28-1/4"H	BN	Frosted Glass+Steel	120V	9x60W
B 1164-5-BN	5Lt Chandelier	23-3/8"Wx17-5/8"H	BN	Frosted Glass+Steel	120V	5x60W
C 1164-1-BN	1Lt Pendant Lighting	6-1/4"Wx7-7/8"H	BN	Frosted Glass+Steel	120V	1x60W
D 1164-19-BN	2Lt Pendant Lighting	19-1/2"Wx20-1/2"H	BN	Frosted Glass+Steel	120V	2x60W
E 2164-1-BN	1Lt Wall Sconce	6-1/4"Wx7-7/8"Hx7-7/8"E	BN	Frosted Glass+Steel	120V	1x60W
F 2164-2-BN	2Lt Bath Lighting	14-3/4"Wx9"Hx8-1/2"E	BN	Frosted Glass+Steel	120V	2x60W
G 2164-3-BN	3Lt Bath Lighting	23-1/4"Wx9"Hx8-1/2"E	BN	Frosted Glass+Steel	120V	3x60W
H 2164-4-BN	4Lt Bath Lighting	31-3/4"Wx9"Hx8-1/2"E	BN	Frosted Glass+Steel	120V	4x60W

CAZ Series



A 1178-9-OZ



B 1178-3-OZ



C 1178-5-OZ



D 1178-4-OZ



F 2178-1-OZ



G 2178-2-OZ



E 1178-1-OZ



H 2178-3-OZ



I 2178-4-OZ

Additional Finishes:



NI

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1178-9-OZ	9Lt Chandelier	35-1/4" WX33-1/2" H	OZ	Frosted Glass+Steel	120V	9x60W
B 1178-3-OZ	3Lt Chandelier	21-3/8" WX19" H	OZ	Frosted Glass+Steel	120V	3x60W
C 1178-5-OZ	5Lt Chandelier	25-1/2" WX23-7/8" H	OZ	Frosted Glass+Steel	120V	5x60W
D 1178-4-OZ	4Lt Cage Lighting	13-1/2" WX24-7/8" H	OZ	Frosted Glass+Steel	120V	4x60W
E 1178-1-OZ	1Lt Pendant Lighting	6-1/2" WX13-1/4" H	OZ	Frosted Glass+Steel	120V	1x60W
F 2178-1-OZ	1Lt Wall Sconce	6-1/2" WX10-3/4" HX8-3/4" E	OZ	Frosted Glass+Steel	120V	1x60W
G 2178-2-OZ	2Lt Bath Lighting	16-3/4" WX9-1/4" HX6-7/8" E	OZ	Frosted Glass+Steel	120V	2x60W
H 2178-3-OZ	3Lt Bath Lighting	23-3/4" WX9-1/4" HX6-7/8" E	OZ	Frosted Glass+Steel	120V	3x60W
I 2178-4-OZ	4Lt Bath Lighting	34-5/8" WX9-1/4" HX6-7/8" E	OZ	Frosted Glass+Steel	120V	4x60W

CBA Series



A 1027-9-SN



B 1027-5-SN-1



C 1027-5-SN-2



D 1027-3-SN



E 1027-2-SN



H 2027-1-BN



F 1027-21-BN



I 2027-2-ORB



G 1027-17-BN



J 2027-4-ORB

Additional Finishes:



ORB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1027-9-SN	9Lt Chandelier	36" WX 38" H	SN	Faux Alabaster Glass+Steel	120V	9x60W
B 1027-5-SN-1	5Lt Chandelier	29" WX 28" H	SN	Faux Alabaster Glass+Steel	120V	5x60W
C 1027-5-SN-2	5Lt Chandelier	26" WX 17" H	SN	Faux Alabaster Glass+Steel	120V	5x60W
D 1027-3-SN	3Lt Chandelier	23" WX 16" H	SN	Faux Alabaster Glass+Steel	120V	3x60W
E 1027-2-SN	2Lt Island Light	32-1/8" WX 18-1/8" H	SN	Faux Alabaster Glass+Steel	120V	2x60W
F 1027-21-BN	3Lt Pendant Lighting	21" WX 26" H	SN	Faux Alabaster Glass+Steel	120V	3x60W
G 1027-17-BN	2Lt Pendant Lighting	17" WX 14-1/4" H	SN	Faux Alabaster Glass+Steel	120V	2x60W
H 2027-1-BN	1Lt Wall Sconce	7-7/8" W x 10" H x 9" E	SN	Faux Alabaster Glass+Steel	120V	1x60W
I 2027-2-ORB	2Lt Bath Lighting	18" W x 10" H x 9" E	ORB	Faux Alabaster Glass+Steel	120V	2x60W
J 2027-4-ORB	4Lt Bath Lighting	36-1/8" W x 10" H x 9" E	ORB	Faux Alabaster Glass+Steel	120V	4x60W

CAV Series



A 1165-1-OZ



B 2165-1-OZ



C 2165-2-OZ



E 2165-4-OZ



D 2165-3-OZ

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1165-1-OZ	1Lt Pendant Light	7-3/8"Wx18-3/4"H	OZ	Frosted Glass+Steel	120V	1x60W
B 2165-1-OZ	1Lt Wall Sconce	7-3/8"Wx12"Hx9-5/8"E	OZ	Frosted Glass+Steel	120V	1x60W
C 2165-2-OZ	2Lt Bath Lighting	18"Wx9-3/8"Hx9-1/2"E	OZ	Frosted Glass+Steel	120V	2x60W
D 2165-3-OZ	3Lt Bath Lighting	24"Wx9-3/8"Hx9-1/2"E	OZ	Frosted Glass+Steel	120V	3x60W
E 2165-4-OZ	4Lt Bath Lighting	33"Wx9-3/8"Hx9-1/2"E	OZ	Frosted Glass+Steel	120V	4x60W

CAW Series



A 1163-1-BN



B 2163-1-BN



C 2163-2-BN



E 2163-4-ORB



D 2163-3-GD

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1163-1-BN	1Lt Pendant Light	4-5/8"Wx8"H	BN	Satin Etched White Glass+Steel	120V	1x60W
B 2163-1-BN	1Lt Wall Sconce	5"Wx10-7/8"Hx7-1/4"E	BN	Satin Etched White Glass+Steel	120V	1x60W
C 2163-2-BN	2Lt Bath Lighting	13-7/8"Wx8-7/8"Hx5-3/8"E	BN	Satin Etched White Glass+Steel	120V	2x60W
D 2163-3-GD	3Lt Bath Lighting	23"Wx8-7/8"Hx5-3/8"E	BN	Satin Etched White Glass+Steel	120V	3x60W
E 2163-4-ORB	4Lt Bath Lighting	32-1/4"Wx8-7/8"Hx5-3/8"E	BN	Satin Etched White Glass+Steel	120V	4x60W

CBB Series



A 1158-9-SN



B 1158-3-SN



C 1158-6-SN



D 3158-16-SN



F 1158-1-SN



G 2158-1-SN



E 1158-24-SN



H 2158-2-SN



I 2158-3-SN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1158-9-SN	9Lt Chandelier	29-7/8"Wx26-1/8"H	SN	Frosted Glass+Steel	120V	9x60W
B 1158-3-SN	3Lt Chandelier	20-1/8"Wx19-3/4"H	SN	Frosted Glass+Steel	120V	3x60W
C 1158-6-SN	6Lt Chandelier	26"Wx21-5/8"H	SN	Frosted Glass+Steel	120V	6x60W
D 3158-16-SN	2Lt Semi-Flush Mount	16-1/2"Wx14"H	SN	Frosted Glass+Steel	120V	2x60W
E 1158-24-SN	2Lt Pendant Lighting	24"Wx26"H	SN	Frosted Glass+Steel	120V	2x60W
F 1158-1-SN	1Lt Pendant Lighting	6"Wx51"H	SN	Frosted Glass+Steel	120V	1x60W
G 2158-1-SN	1Lt Wall Sconce	6"Wx8-7/8"Hx7-1/8"E	SN	Frosted Glass+Steel	120V	1x60W
H 2158-2-SN	2Lt Bath Lighting	15"Wx8-5/8"Hx7-1/8"E	SN	Frosted Glass+Steel	120V	2x60W
I 2158-3-SN	3Lt Bath Lighting	24-3/4"Wx8-5/8"Hx7-1/8"E	SN	Frosted Glass+Steel	120V	3x60W

CBE Series



A 1168-9-CH



B 1168-4-CH



C 1168-6-CH



A 2168-1-CH-1



B 2168-2-CH



C 2168-3-CH



D 2168-4-CH



E 2168-1-CH-2



F 2168-1-CH-3



G 4168-33-CH



H 4168-60-CH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1168-9-CH	9Lt Chandelier	41-1/4"Wx72"H	CH	Steel+Fabric Shade	120V	9x60W
B 1168-4-CH	4Lt Chandelier	28-3/4"Wx61-5/8"H	CH	Steel+Fabric Shade	120V	4x60W
C 1168-6-CH	6Lt Chandelier	34-3/8"Wx61-5/8"H	CH	Steel+Fabric Shade	120V	6x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2168-1-CH-1	1Lt Wall Sconce	6"Wx19-1/8"Hx8-1/4"E	CH	Steel+Fabric Shade	120V	1x60W
B 2168-2-CH	2Lt Bath Lighting	14-1/4"Wx15-1/2"Hx6-1/2"E	CH	Steel+Fabric Shade	120V	2x60W
C 2168-3-CH	3Lt Bath Lighting	22"Wx15-1/2"Hx6-1/2"E	CH	Steel+Fabric Shade	120V	3x60W
D 2168-4-CH	4Lt Bath Lighting	30"Wx15-1/2"Hx6-1/2"E	CH	Steel+Fabric Shade	120V	4x60W
E 2168-1-CH-2	1Lt Wall Sconce	6-1/4"Wx49-3/4"Hx8-5/8"E	CH	Steel+Fabric Shade	120V	1x60W
F 2168-1-CH-3	Mirror Wall Lamp	32"Wx78"Hx9-1/8"E	CH	Steel+Fabric Shade+Mirror	120V	1x60W
G 4168-33-CH	1Lt Table Lamp	11"Wx33-1/8"H	CH	Steel+Fabric Shade	120V	1x100W
H 4168-60-CH	1Lt Floor Lamp	16"Wx60-3/4"H	CH	Steel+Fabric Shade	120V	1x100W

CBF Series



A 1169-9-CH



D 2169-1-CH



E 2169-2-CH



B 1169-4-CH



C 1169-6-CH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1169-9-CH	9Lt Chandelier	34-7/8"Wx70"H	CH	Steel+Fabric Shade	120V	9x60W
B 1169-4-CH	4Lt Chandelier	24-5/8"Wx22-1/4"H	CH	Steel+Fabric Shade	120V	4x60W
C 1169-6-CH	6Lt Chandelier	34-7/8"Wx23"H	CH	Steel+Fabric Shade	120V	6x60W
D 2169-1-CH	1Lt Wall Sconce	6"Wx12-1/8"Hx8-1/4"E	CH	Steel+Fabric Shade	120V	1x60W
E 2169-2-CH	2Lt Bath Lighting	15-3/4"Wx11-5/8"Hx8"E	CH	Steel+Fabric Shade	120V	2x60W

CBG Series



A 1170-4-CH



B 1170-6-CH



D 2170-2-CH




C 2170-1-CH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1170-4-CH	4Lt Chandelier	24-1/8"Wx19-7/8"H	CH	Steel+Fabric Shade	120V	4x60W
B 1170-6-CH	6Lt Chandelier	34-1/2"Wx23-7/8"H	CH	Steel+Fabric Shade	120V	6x60W
C 2170-1-CH	1Lt Wall Sconce	6"Wx12-1/8"Hx8-1/4"E	CH	Steel+Fabric Shade	120V	1x60W
D 2170-2-CH	2Lt Bath Lighting	15-3/4"Wx12-1/8"Hx8-1/4"E	CH	Steel+Fabric Shade	120V	2x60W

CBC Series



A 1166-18-PB



B 2166-1-PB



C 4166-31-PB



D 4166-61-PB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1166-18-PB	3Lt Pendant Lighting	18" WX 18-3/4" H	PB	Steel+Fabric Shade	120V	3x60W
B 2166-1-PB	1Lt Wall Sconce	11" WX 11" H x 5-7/8" E	PB	Steel+Fabric Shade	120V	1x60W
C 4166-31-PB	1Lt Table Lamp	16" WX 31-1/8" H	PB	Steel+Fabric Shade	120V	1x150W
D 4166-61-PB	1Lt Floor Lamp	20" WX 61" H	PB	Steel+Fabric Shade	120V	1x150W

CBD Series



A 1167-6-CH



B 2167-1-CH



C 4167-33-CH



D 4167-59-CH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1167-6-CH	6Lt Chandelier	36" WX 34-5/8" H	CH	Steel+Fabric Shade	120V	6x40W
B 2167-1-CH	1Lt Wall Sconce	6" WX 20-1/2" H x 8-1/4" E	CH	Steel+Fabric Shade	120V	1x40W
C 4167-33-CH	1Lt Table Lamp	12" WX 33-3/8" H	CH	Steel+Fabric Shade	120V	1x150W
D 4167-59-CH	1Lt Floor Lamp	15" WX 59-3/8" H	CH	Steel+Fabric Shade	120V	1x150W

CBH Series



B 1160-5-GD



A 1160-9-GD



A 1021-3-PB-9

B 1021-5-BN-9



C 3160-16-GD



D 1160-20-GD



E 2160-1-GD



D 1097-5-BN-4

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1160-9-GD	9Lt Chandelier	34-1/2"Wx39-3/8"H	GD	Steel+Cream Linen Fabric Shade	120V	9x40W
B 1160-5-GD	5Lt Chandelier	29-1/2"Wx27-3/4"H	GD	Steel+Cream Linen Fabric Shade	120V	5x40W
C 3160-16-GD	2Lt Semi-Flush Mount Ceiling Light	16"Wx15-1/4"H	GD	Steel+Cream Linen Fabric Shade	120V	2x60W
D 1160-20-GD	3Lt Pendant Lighting	20"Wx23-1/2"H	GD	Steel+Cream Linen Fabric Shade	120V	3x60W
E 2160-1-GD	1Lt Wall Sconce	7-1/2"Wx16-1/2"Hx8-5/8"E	GD	Steel+Cream Linen Fabric Shade	120V	1x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1021-3-PB-9	3Lt Chandelier	22-1/4"Wx13-3/4"H	PB	Steel+Clear Ribbed Glass	120V	3x60W
B 1021-5-BN-9	5Lt Chandelier	23-1/2"Wx13-7/8"H	PB	Steel+Clear Ribbed Glass	120V	5x60W
C 1097-3-BN-4	3Lt Chandelier	20"Wx14"H	BN	Steel+Faux Alabaster Glass	120V	3x60W
D 1097-5-BN-4	5Lt Chandelier	20"Wx14"H	BN	Steel+Faux Alabaster Glass	120V	5x60W



A 1280-23-CF-L



B 1280-19-CF-L



C 1280-43-CF-L

CONTEMPORARY COLLECTIONS

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1280-23-CF-L	LED Pendant	23-3/4" WX 47-1/4" H	CF	Steel+Aluminum	120V	78W	2200Lm	≥80Ra	3000K
B 1280-19-CF-L	LED Pendant	19-5/8" WX 47-1/4" H	CF	Steel+Aluminum	120V	45W	740Lm	≥80Ra	3000K
C 1280-43-CF-L	LED Pendant	43-3/8" LX 11-3/4" WX 47-1/4" H	CF	Steel+Aluminum	120V	52W	2600Lm	≥80Ra	3000K




A 1281-23-CH-L



A 1284-17-CH-L



B 3037-CH-L



B 1283-19-CH-L



LED


Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1281-23-CH-L	LED Pendant	Φ23-1/2" WX47-1/4" H	CH	PC+Aluminum	120V	45W	1230Lm	≥80Ra	3000K
B 3037-CH-L	LED Pendant	18-1/9" LX7" WX20" H	CF	PC+Aluminum	120V	34W	900Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1284-17-CH-L	LED Pendant	Φ17-3/4" WX47-1/4" H	CH	PC+Aluminum	120V	56W	3200Lm	≥80Ra	3000K
B 1283-19-CH-L	LED Pendant	Φ19-1/4" WX47-1/4" H	CH	PC+Aluminum	120V	53W	1640Lm	≥80Ra	3000K



A 1282-31-SH-L



A 1287-5-CH-L



B 1278-28-CH-L



B 1286-5-BK-L



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1282-31-SH-L	LED Pendant	31-1/2"LX5"WX47-1/4"H	SH	PC+Aluminum	120V	56W	3200Lm	≥80Ra	3000K
B 1278-28-CH-L	LED Pendant	Φ28"X70-7/8"H	CF	PC+Aluminum	120V	30W	1500Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1287-5-CH-L	LED Pendant	36"LX12-3/4"WX47-1/4"H	CH	PC+Aluminum	120V	52W	2950Lm	≥80Ra	3000K
B 1286-5-BK-L	LED Pendant	43-7/8"LX13-3/4"WX47-1/4"H	BK	PC+Aluminum	120V	51W	2000Lm	≥80Ra	3000K



A 1002-47-BK-L



A 1279-43-BN-L-2



B 1285-39-BK-L



B 1279-43-BN-L-4



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1002-47-BK-L	LED Pendant	47-1/4"LX5-1/2"WX47-1/4"H	BK	PC+Aluminum	120V	52W	1600Lm	≥80Ra	3000K
B 1285-39-BK-L	LED Pendant	47-1/4"LX5-1/2"WX47-1/4"H	BK	PC+Aluminum	120V	55W	1760Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1279-43-BN-L-2	LED Pendant	43-1/2"LX70-7/8"H	BN	PC+Aluminum	120V	36W	1700Lm	≥80Ra	3000K
B 1279-43-BN-L-4	LED Pendant	43-1/2"LX70-7/8"H	BN	PC+Aluminum	120V	52W	2220Lm	≥80Ra	3000K



A 1291-1-CH-L



A 1288-1-CH-L



B 1290-1-CH-L



B 1289-1-CH-L



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1291-1-CH-L	LED Pendant	Φ6-1/4"X47-1/4"H	CH	PC+Aluminum	120V	17W	1150Lm	≥80Ra	3000K
B 1290-1-CH-L	LED Pendant	7"WX47-1/4"H	CH	PC+Aluminum	120V	17W	840Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 1288-1-CH-L	LED Pendant	Φ7-1/2"X47-1/4"H	CH	PC+Aluminum	120V	17W	1160Lm	≥80Ra	3000K
B 1289-1-CH-L	LED Pendant	Φ7-1/8"X47-1/4"H	CH	PC+Aluminum	120V	17W	1000Lm	≥80Ra	3000K

PENDANT COLLECTIONS

DESIGNERS FOUNTAIN



PENDANT



A 1038-15-SN



B 1038-20-SN



C 1092-18-BN



A 1091-15-PE



B 1096-15-SN



C 1037-17-SN



D 1109-6-CH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1038-15-SN	2Lt Pendant	15-1/2"W x 17"H	SN	Steel+Faux Alabaster Glass	120V	2x60W
B 1038-20-SN	2Lt Pendant	20-1/8"W x 22-7/8"H	SN	Steel+Faux Alabaster Glass	120V	2x18W
C 1092-18-BN	3Lt Pendant	18"W x 19"H	PE	Steel+Faux Alabaster Glass	120V	3x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1091-15-BN	3Lt Pendant	15-3/8"W x 25"H	SN	Steel+Faux Alabaster Glass	120V	3x60W
B 1037-17-SN	3Lt Pendant	17-1/2"W x 25-1/2"H	BN	Steel+Frosted Glass	120V	3x60W
C 1096-15-SN	3Lt Pendant	15-5/8"W x 20-3/4"H	SN	Steel+Faux Alabaster Glass	120V	3x60W
D 1109-6-CH	6Lt Pendant Lighting	24"W x 22-3/8"H	CH	Steel+ Fabric Shade	120V	6x60W

PENDANT



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1198-5-BK	5Lt Pendant	26-3/4"LX6"WX39-1/4"H	BK	Steel+Clear Glass	120V	5x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1083-5-BK	5Lt Pendant	32-1/2"LX5-1/2"WX10"H	BK+BN	Steel+Clear Glass	120V	5x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 1209-40-BZ-L	LED Pendant	40"WX54-3/4"-108"H	BZ	Steel+Acrylic	120V	44W	≥80Ra	3000K

A 1115-15-BN



B 1116-18-BK



A 1147-4-BK



C 1106-4-EB



B 1173-4-WB



1139-1-BKCH



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1115-15-BN	2Lt Pendant Lighting	15"Wx15-3/8"H	BN	Steel+Faux Alabaster Glass	120V	2x60W
B 1116-18-BK	3Lt Pendant Lighting	18"Wx25"H	BK	Steel+Faux Alabaster Glass	120V	3x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1147-4-BK	4Lt Pendant	11-7/8"Wx18-3/8"H	BK	Steel	120V	4x60W E12
B 1173-4-WB	4Lt Pendant	10"Lx10"Wx13"H	WB	Steel	120V	4x60W E12
C 1139-1-BKCH	1Lt Min-Pendant	9-1/2"Lx12"Wx15"H	BKCH	Steel	120V	1x35W GU10
D 1106-4-EB	4Lt Pendant	13-3/8"Wx20-3/8"H	BK	Steel	120V	4x60W E12



A 1193-10-BK



B 1195-6-CH



C 1172-1-GD



A 1117-1-CH



B 1018-1-BN



C 1199-9-BK

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1193-10-BK	1Lt Min-Pendant	10" WX 12-1/4" H	BK	Steel+Clear Glass	120V	1x60W
B 1195-6-CH	1Lt Min-Pendant	6" WX 10-3/4" H	CH	Steel+Clear Glass	120V	1x60W
C 1172-1-GD	1Lt Min-Pendant	9" WX 16-1/2" H	GD	Steel+ Glass	120V	1x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1117-1-CH	1Lt Min-Pendant	8-1/2" WX 12-3/4" H	CH	Steel+Clear Glass	120V	1x60W
B 1009-1-BN	1Lt Min-Pendant	5-1/2" WX 24" H	BN	Steel+Satin Opal Glass	120V	1x60W
C 1199-9-BK	1Lt Min-Pendant	9-13/16" WX 8-11/16" H	BK	Steel+Clear Glass	120V	1x40W



A 1026-7-CH



B 1143-13-CH



C 1143-10-CH



A 1032-16-CH



B 1019-6-BK



C 1033-7-BK

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1026-7-CH	1Lt Min-Pendant	7"Wx80-3/4"H	CH	Steel+Clear Glass	120V	1x60W
B 1143-13-CH	1Lt Min-Pendant	13-3/4"Wx19-3/4"-59"H	CH	Steel+Clear Glass	120V	1x60W
C 1143-10-CH	1Lt Min-Pendant	10-1/2"Wx15-1/4"-54"H	CH	Steel+Clear Speeded Glass	120V	1x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1032-16-CH	1Lt Min-Pendant	16"Wx20-3/8"H	CH	Steel+Clear Glass	120V	1x60W
B 1019-6-BK	1Lt Min-Pendant	6"Wx14"H	BK	Steel+Clear Glass	120V	1x60W
C 1033-7-BK	1Lt Min-Pendant	7"Wx45"H	BK	Steel+Clear Glass	120V	1x60W

MIN-PENDANT



A 1104-1-BN



B 1119-1-BN



A 1121-1-BN



B 1017-1-CH-5



C 1017-1-BN-3



D 1017-1-BN-4



C 1009-1-BN



D 1078-1-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1104-1-BN	1Lt Min-Pendant	4 - 1/4" WX7"H	BN	Steel+Clear Speeded Glass	120V	1x60W
B 1119-1-BN	1Lt Min-Pendant	5" WX9 - 1/2" H	BN	Steel+Clear/Stripe Glass	120V	1x10W LED E27
C 1017-1-BN-3	1Lt Min-Pendant	4 - 1/2" WX8 - 1/8" H	BN	Steel+Sandblast and Clear At Bottom Glass	120V	1x60W
D 1017-1-BN-4	1Lt Min-Pendant	4 - 7/8" WX9 - 1/4" H	BN	Steel+Clear Glass +Satin Opal Glass	120V	1x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1121-1-BN	1Lt Min-Pendant	4" WX5 - 3/4" H	BN	Steel+Cased Opal Etched Glass	120V	1x10W LED E27
B 1017-1-CH-5	1Lt Min-Pendant	5" WX5" H	CH	Steel+Satin Opal Glass	120V	1x40W
C 1009-1-BN	1Lt Min-Pendant	5 - 1/2" WX24" H	BN	Steel+Opal Glass	120V	1x60W
D 1078-1-BN	1Lt Min-Pendant	6 - 1/8" WX10 - 1/8" H	BN	Steel+Frosted Glass	120V	1x60W

MIN-PENDANT



A 1145-3-BN-L

LED



B 1020-1-BN



C 1100-4-BN



D 1012-6-CH



A 1017-1-BN-6



B 1017-1-BN-2



C 1017-1-BN-1



D 1005-4-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 1145-3-BN-L	1Lt Min-Pendant	3-1/2"Wx8"H	BN	Steel+ Opal Glass	120V	1x100W	≥80Ra	3000K
B 1020-1-BN	1Lt Min-Pendant	4-5/8"Wx12-1/4"H	BN	Steel+ Opal Glass	120V	1x60W		
C 1100-4-BN	1Lt Min-Pendant	4"Wx9"H	BN	Steel+ Clear Glass	120V	1x60W		
D 1012-6-CH	1Lt Min-Pendant	6"Wx10"H	CH	Steel+ Clear Glass	120V	1x25W E12		

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1017-1-BN-6	1Lt Min-Pendant	5"Wx8-1/8"H	BN	Steel+Clear Glass +Frosted Glass	120V	1x60W
B 1017-1-BN-2	1Lt Min-Pendant	4-3/4"Wx12-1/4"H	BN	Steel+Satin Opal Glass+Clear Glass	120V	1x13W
C 1017-1-BN-1	1Lt Min-Pendant	3-7/8"Wx14"H	BN	Steel+Satin Opal Glass	120V	1x13W
D 1005-4-BN	1Lt Min-Pendant	4"Wx48-1/4"H	BN	Steel+Frosted Glass	120V	1x60W

MIN-PENDANT




A 1107-7-WH



B 1146-5-WH



C 1179-5-BN



A 1194-5-BN



B 1124-6-BN



C 1123-1-AB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1107-7-BN	1Lt Min-Pendant	7"LX5"WX50"H	BN	Steel+Fabric	120V	1x60W E26
B 1146-5-WH	1Lt Min-Pendant	5"WX9-1/2"H	WH	Steel+Opal Glass	120V	1x60W E12
C 1179-5-BN	1Lt Min-Pendant	5"WX39"H	BN	Steel+Satin Opal Glass	120V	1x60W E26

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1194-5-BN	1Lt Min-Pendant	5-1/8"WX47-3/4"H	BN	Steel+Satin Opal Glass	120V	1x100W
B 1124-6-BN	1Lt Min-Pendant	6"WX7"H	BN	Steel+Faux Alabaster Glass	120V	1x100W
C 1123-1-AB	1Lt Min-Pendant	4"WX6"H	AB	Steel+Frosted Glass	120V	1x9W LED G9

MIN-PENDANT



A 1148-7-BK




C 1140-5-BK



D 1201-16-BK

B 1148-8-BK



A 1108-1-CH



C 1105-1-BN



B 1204-9-BN



D 1185-15-SD

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1148-7-BK	1Lt Pendant	7" WX 12-1/2" - 59-1/2" H	BK	Steel	120V	1x60W E27
B 1148-8-BK	1Lt Pendant	8" WX 9-1/8" - 56-1/2" H	BK	Steel	120V	1x60W E27
C 1140-5-BK	1Lt Min-Pendant	5-1/2" WX 59-1/8" H	BK	Steel+Opal Glass	120V	1x60W E27
D 1201-16-BK	1Lt Pendant	16" WX 133-3/8" H	BK	Steel	120V	1x60W E27

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1108-1-CH	1Lt Pendant	14-1/2" WX 13" H	BK	Steel+Glass	120V	1x60W E26
B 1204-9-BN	1Lt Min-Pendant	9" WX 11-3/4" - 59-3/4" H	BK	Steel	120V	1x60W E26
C 1105-11-BN	1Lt Min-Pendant	11-3/4" WX 10-1/2" H	BN	Steel+Aluminum	120V	1x60W E26
D 1185-15-SD	1Lt Pendant	15" WX 14" H	SD	Steel	120V	1x60W E26

MIN-PENDANT



A 1120-13-BK



B 1138-1-WH



C 1099-1-WH



A 1184-6-BK



B 1184-9-BK



C 1187-7-BKWH



D 1197-4-BK

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1120-1-BK	1Lt Min-Pendant	13-5/8" WX 13-1/4" H	BK	Steel	120V	1x60W
B 1138-1-WH	1Lt Min-Pendant	13" WX 13-3/4" H	WH	Steel+Wood	120V	1x100W
C 1099-1-WH	1Lt Min-Pendant	15-1/2" WX 7-1/2" H	WH	Steel	120V	1x100W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1184-6-BK	1Lt Min-Pendant	6" WX 8"-83" H	BK	Steel	120V	1x100W
B 1184-9-BK	1Lt Min-Pendant	9-1/2" WX 11"-83" H	BK	Steel	120V	1x100W
C 1187-7-BKWH	1Lt Min-Pendant	7" WX 8-1/2" - 120" H	BK+WH	Steel	120V	1x9.5W LED E26
D 1197-4-BK	1Lt Min-Pendant	4-3/8" WX 44" H	BK	Steel	120V	1x60W E26

MIN-PENDANT



A 1089-1-BK



B 1125-1-BK




C 1149-9-BK-L

LED



A 1110-11-BK



B 1113-10-WH



C 1303-6-CH-L

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 1089-1-BK	1Lt Min-Pendant	6-1/2"W X 11-1/2"H	BK+CH	Steel	120V	1x9W LED E27		
B 1125-1-BK	1Lt Min-Pendant	13-5/8"W X 13-1/4"H	BK	Steel	120V	1x60W		
C 1149-9-BK-L	1Lt Min-Pendant	5-1/2"W X 59-1/8"H	BK	Steel+Acrylic	120V	15W	≥80Ra	3000K

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 1110-11-BK	1Lt Min-Pendant	11-1/4"W X 17"-49-5/8"H	BK	Steel+Opal Glass	120V	1x60W		
B 1113-10-WH	1Lt Min-Pendant	10"W X 14"-75"H	WH	Steel	120V	1x10W LED E26		
C 1303-6-CH-L	1Lt Min-Pendant	6-1/2"W X 47-1/4"H	CH	Steel+Acrylic	120V	9W	≥80Ra	3000K


MIN-PENDANT



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1079-1-BKAB-2	1Lt Min-Pendant	4-3/4"W X 2"H	BKAB	Steel	120V	1x60W
B 1118-1-CH	1Lt Min-Pendant	Φ4-3/4" X 10-7/8"H	CH	Steel+Clear Glass	120V	1x20W G4
C 1190-10-BK	1Lt Min-Pendant	10" W X 8"H	BK	Steel	120V	1x60W
D 1181-10-OZ	1Lt Min-Pendant	9-5/8" W X 8-1/4"H	OZ	Steel+Clear Ribbed Glass	120V	1x60W
E 1181-12-OZ	1Lt Min-Pendant	12" W X 9-1/4"H	OZ	Steel+Clear Ribbed Glass	120V	1x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 1206-2-VB-L	1Lt Min-Pendant	2-3/4" W X 12"H	VB	Steel+Acrylic	120V	10W	≥90Ra	3000K
B 1141-1-BN-L	1Lt Min-Pendant	2" W X 9-1/4"H	BN	Steel	120V	6W	≥80Ra	3000K
C 1030-SS-L	1Lt Min-Pendant	3-1/2" W X 10-1/4"H	SS	Aluminum	120V	9W	≥80Ra	3000K
D 1191-1-BN-L	1Lt Min-Pendant	1-5/8" W X 20"-95"H	BN	Aluminum+Acrylic	120V	4W	≥80Ra	3000K

MIN-PENDANT



A 1101-1-PB



B 1098-1-PB



C 1021-1-PB



D 1112-16-EB



A 1031-1-BN-1



C 1031-1-BN-3



B 1031-1-BN-2



D 1031-1-BN-4

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1101-1-PB	1Lt Min-Pendant	15"WX11"H	PB	Steel+Clear Ribbed Glass	120V	1x100W
B 1098-1-PB	1Lt Min-Pendant	15"WX12"H	PB	Steel+White Acrylic	120V	1x60W
C 1021-1-PB	1Lt Min-Pendant	15"WX10-1/2"H	PB	Steel+Clear Glass	120V	1x60W
D 1112-16-EB	1Lt Min-Pendant	15-7/8"WX13-7/8"H	EB	Steel+Flux Alabaster Glass	120V	1x100W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1031-1-BN-1	1Lt Pendant	3-7/8"WX13-1/8"H	BN	Steel+Art Glass	120V	1x60W
B 1031-1-BN-2	1Lt Pendant	4-3/8"WX16-1/2"H	BN	Steel+Art Glass	120V	1x60W
C 1031-1-BN-3	1Lt Pendant	7-5/8"WX9"H	BN	Steel+Art Glass	120V	1x60W
D 1031-1-BN-4	1Lt Pendant	6-1/8"WX14"H	BN	Steel+Art Glass	120V	1x60W

MIN-PENDANT



A 1031-1-BN-7



C 1031-1-BN-5



B 1031-1-BN-8



D 1031-1-BN-6



A 1090-1-ORB



B 1102-1-BN



C 1130-16-BN



1103-1-OB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1031-1-BN-7	1Lt Pendant	6-3/8"WX8-1/2"H	BN	Steel+Art Glass	120V	1x60W
B 1031-1-BN-8	1Lt Pendant	2-5/8"WX5"H	BN	Steel+Art Glass	120V	1x60W
C 1031-1-BN-5	1Lt Pendant	5-7/8"WX11-7/8"H	BN	Steel	120V	1x60W
D 1031-1-BN-6	1Lt Pendant	3-7/8"WX11-1/2"H	BN	Steel+Art Glass	120V	1x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1090-1-ORB	1Lt Min-Pendant	7-3/8"WX5-5/8"H	ORB	Steel+Frosted Glass	120V	1x100W
B 1102-1-BN	1Lt Min-Pendant	8-1/8"WX9-1/4"H	BN	Faux Alabaster Glass+Steel	120V	1x100W
C 1130-16-BN	1Lt Min-Pendant	15-7/8"WX9-1/2"H	BN	Steel+Frosted Glass	120V	1x60W
D 1103-1-OB	1Lt Min-Pendant	15-7/8"WX9-1/4"H	OB	Faux Alabaster Glass+Steel	120V	1x100W

MIN-PENDANT



A 1031-1-BN-9



C 1031-1-BN-11



B 1031-1-BN-10



D 1031-1-BN-12

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 1031-1-BN-9	1Lt Pendant	6-1/2"WX11"H	BN	Steel+Art Glass	120V	1x60W
B 1031-1-BN-10	1Lt Pendant	6-7/8"WX8"H	BN	Steel+Art Glass	120V	1x60W
C 1031-1-BN-11	1Lt Pendant	3-3/4"WX7-5/8"H	BN	Steel+Art Glass	120V	1x60W
D 1031-1-BN-12	1Lt Pendant	6-1/2"WX11"H	BN	Steel+Art Glass	120V	1x60W



BATH & VANITY COLLECTION

DESIGNERS FOUNTAIN



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2039-1-ORB	1Lt Wall Sconce	5-1/8"LX5-3/8"HX7-3/4"E	ORB	Steel	120V	1x60W
B 2039-2-ORB	2Lt Bath Light	11-1/8"LX5-3/8"HX7-3/4"E	ORB	Steel	120V	2x60W
C 2039-3-ORB	3Lt Bath Light	19-3/4"LX5-3/8"HX7-3/4"E	ORB	Steel	120V	3x60W
D 2039-4-ORB	4Lt Bath Light	27"LX5-3/8"HX7-3/4"E	ORB	Steel	120V	4x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2433-1-BN	1Lt Wall Sconce	4-1/2"Wx8"Hx6"E	BN	Steel+Frosted Glass	120V	1x60W
B 2433-2-BN	2Lt Bath Light	12-1/4"Wx8"Hx5-3/4"E	BN	Steel+Frosted Glass	120V	2x60W
C 2433-3-BN	3Lt Bath Light	17-3/4"Wx8"Hx5-3/4"E	BN	Steel+Frosted Glass	120V	3x60W
D 2433-4-BN	4Lt Bath Light	24"Wx8"Hx5-3/4"E	BN	Steel+Frosted Glass	120V	4x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2286-1-BN	1Lt Bath Light	4-3/4"Wx8"Hx6-1/4"E	BN	Frosted Glass +Steel	120V	1x60W
B 2286-2-BK	2Lt Bath Light	18" W x 6-3/4" H x 6" E	BK	Frosted Glass +Steel	120V	2x60W
C 2286-3-BK	3Lt Bath Light	24" W x 6-3/4" H x 6" E	BK	Frosted Glass +Steel	120V	3x60W
B 2286-4-BK	4Lt Bath Light	36" W x 6-3/4" H x 6" E	BK	Frosted Glass +Steel	120V	4x60W



A 2379-1-BK

B 2379-2-BK



C 2379-3-BK



D 2379-4-BK



A 2082-2-OW



B 2082-3-OW



C 2082-4-OW

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2379-1-BK	1Lt Wall Sconce	5" WX9" HX6-3/4" E	BK	Steel+Clear Glass	120V	1x60W
B 2379-2-BK	2Lt Bath Light	14" WX9" HX6-3/4" E	BK	Steel+Clear Glass	120V	2x60W
C 2379-3-BK	3Lt Bath Light	21-1/8" WX9" HX6-3/4" E	BK	Steel+Clear Glass	120V	3x60W
D 2379-4-BK	4Lt Bath Light	28-7/8" WX9" HX6-3/4" E	BK	Steel+Clear Glass	120V	4x60W
E 2379-5-BK	5Lt Bath Light	28-7/8" WX9" HX6-3/4" E	BK	Steel+Clear Glass	120V	5x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2082-2-OW	2Lt Bath Light	13" WX8-1/4" HX5-1/2" E	OW	Clear Seeded Glass+Steel	120V	2x60W
B 2082-3-OW	3Lt Bath Light	20-1/4" WX8-1/4" HX5-1/2" E	OW	Clear Seeded Glass+Steel	120V	3x60W
C 2082-4-OW	4Lt Bath Light	28-3/4" LX8-1/4" HX5-1/2" E	OW	Clear Seeded Glass+Steel	120V	4x60W



A 2163-1-ORB



B 2163-2-ORB



C 2163-3-ORB



D 2163-4-ORB

Additional Finishes:



BN



GD

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2163-1-ORB	1Lt Wall Sconce	5"Wx10-7/8"Hx7-1/4"E	ORB	Steel+Satin Etched Glass	120V	1x60W
B 2163-2-ORB	2Lt Bath Light	13-7/8"Lx8-7/8"Hx5-3/8"E	ORB	Steel+Satin Etched Glass	120V	2x60W
C 2163-3-ORB	3Lt Bath Light	23"Lx8-7/8"Hx5-3/8"E	ORB	Steel+Satin Etched Glass	120V	3x60W
D 2163-4-ORB	4Lt Bath Light	32-1/4"Lx8-7/8"Hx5-3/8"E	ORB	Steel+Satin Etched Glass	120V	4x60W



A 2141-2-ORB-1



B 2141-3-ORB-1



C 2141-4-ORB-1

Additional Finishes:



CH



Clear Seedy Glass
2141-2-CH-2
2141-3-CH-2 2141-4-CH-2

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2141-2-ORB-1	2Lt Bath Light	13-1/4"Lx7-7/8"Hx6-1/2"E	ORB	Satin Opal Glass+Steel	120V	2x100W
B 2141-3-ORB-1	3Lt Bath Light	22-1/2"Lx7-7/8"Hx6-1/2"E	ORB	Satin Opal Glass+Steel	120V	3x100W
C 2141-4-ORB-1	4Lt Bath Light	31-7/8"Lx7-7/8"Hx6-1/2"E	ORB	Satin Opal Glass+Steel	120V	4x100W



A 2214-1-BZ



B 2214-3-BZ



C 2214-4-BZ

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2214-1-BZ	1Lt Wall Sconce	5" WX15" Hx7" E	BZ	Tuscan Sunste Glass+Steel	120V	1x60W
B 2214-3-BZ	3Lt Bath Light	22-1/2" WX9-1/2" HX6-1/2" E	BZ	Tuscan Sunste Glass+Steel	120V	3x60W
C 2214-4-BZ	4Lt Bath Light	31-1/4" WX9-1/2" HX6-1/2" E	BZ	Tuscan Sunste Glass+Steel	120V	4x60W



A 2149-2-ORB



B 2149-3-ORB



C 2149-4-ORB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2149-2-ORB	2Lt Bath Light	16" LX9-1/8" HX7" E	ORB	Faux Alabaster Glass+Steel	120V	2x100W
B 2149-3-ORB	3Lt Bath Light	24" LX9-1/8" HX7" E	ORB	Faux Alabaster Glass+Steel	120V	3x100W
C 2149-4-ORB	4Lt Bath Light	32" LX9-1/8" HX7" E	ORB	Faux Alabaster Glass+Steel	120V	4x100W



A 2042-2-BN-L
D 2042-2-BN



A 2041-2-BN-L
D 2041-2-BN



B 2042-3-BN-L
E 2042-3-BN



B 2041-3-BN-L
E 2041-3-BN



C 2042-4-BN-L
F 2042-4-BN



C 2041-4-BN-L
F 2041-4-BN

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2042-2-BN-L	2Lt Bath Light	14-3/4"LX8"HX6-5/8"E	BN	Satin Opal Glass+Steel	120V	12W	940Lm	≥80Ra	3000K
B 2042-3-BN-L	3Lt Bath Light	23"LX8"HX6-5/8"E	BN	Satin Opal Glass+Steel	120V	18W	1260Lm	≥80Ra	3000K
C 2042-4-BN-L	4Lt Bath Light	36"LX8"HX6-5/8"E	BN	Satin Opal Glass+Steel	120V	24W	1600Lm	≥80Ra	3000K
D 2042-2-BN	2Lt Bath Light	14-3/4"LX8"HX6-5/8"E	BN	Satin Opal Glass+Steel	120V	2x60W			
E 2042-3-BN	3Lt Bath Light	23"LX8"HX6-5/8"E	BN	Satin Opal Glass+Steel	120V	3x60W			
F 2042-4-BN	4Lt Bath Light	36"LX8"HX6-5/8"E	BN	Satin Opal Glass+Steel	120V	4x60W			

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2041-2-BN-L	2Lt Bath Light	12"LX8-7/8"HX6-3/4"E	BN	Satin Opal Glass+Steel	120V	12W	940Lm	≥80Ra	3000K
B 2041-3-BN-L	3Lt Bath Light	19-7/8"LX8-7/8"HX6-3/4"E	BN	Satin Opal Glass+Steel	120V	18W	1260Lm	≥80Ra	3000K
C 2041-4-BN-L	4Lt Bath Light	24"LX8-7/8"HX6-3/4"E	BN	Satin Opal Glass+Steel	120V	24W	1600Lm	≥80Ra	3000K
D 2041-2-BN	2Lt Bath Light	12"LX8-7/8"HX6-3/4"E	BN	Satin Opal Glass+Steel	120V	2x60W			
E 2041-3-BN	3Lt Bath Light	19-7/8"LX8-7/8"HX6-3/4"E	BN	Satin Opal Glass+Steel	120V	3x60W			
F 2041-4-BN	4Lt Bath Light	24"LX8-7/8"HX6-3/4"E	BN	Satin Opal Glass+Steel	120V	4x60W			



A 2043-1-BN-L

D 2043-1-BN



B 2043-3-BN-L

E 2043-3-BN



C 2043-4-BN-L

F 2043-4-BN



B 2097-2-BN



A 2097-1-BN



C 2097-3-BN



D 2097-4-BN



E 2097-5-BN

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2043-1-BN-L	1Lt Wall Sconce	7-1/8"LX8-3/4"HX5-1/8"E	BN	Satin Opal Glass+Steel	120V	9.5W	500Lm	≥80Ra	3000K
B 2043-3-BN-L	3Lt Bath Light	20-1/2"LX8-3/4"HX5-1/8"E	BN	Satin Opal Glass+Steel	120V	28.5W	1300Lm	≥80Ra	3000K
C 2043-4-BN-L	4Lt Bath Light	27-1/2"LX8-3/4"HX5-1/8"E	BN	Satin Opal Glass+Steel	120V	38W	1600Lm	≥80Ra	3000K
D 2043-1-BN	1Lt Wall Sconce	7-1/8"LX8-3/4"HX5-1/8"E	BN	Satin Opal Glass+Steel	120V	1x60W			
E 2043-3-BN	3Lt Bath Light	20-1/2"LX8-3/4"HX5-1/8"E	BN	Satin Opal Glass+Steel	120V	3x60W			
F 2043-4-BN	4Lt Bath Light	27-1/2"LX8-3/4"HX5-1/8"E	BN	Satin Opal Glass+Steel	120V	4x60W			

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2097-1-BN	1Lt Wall Sconce	5"LX9-1/2"HX5-3/4"E	BN	Clear Seeded Glass+Steel	120V	1x100W
B 2097-2-BN	2Lt Bath Light	15"LX9-1/2"HX5-3/4"E	BN	Clear Seeded Glass+Steel	120V	2x100W
C 2097-3-BN	3Lt Bath Light	24"LX9-1/2"HX5-3/4"E	BN	Clear Seeded Glass+Steel	120V	3x100W
D 2097-4-BN	4Lt Bath Light	34-1/4"LX9-1/2"HX5-3/4"E	BN	Clear Seeded Glass+Steel	120V	4x100W
E 2097-5-BN	5Lt Bath Light	40"LX9-1/2"HX5-3/4"E	BN	Clear Seeded Glass+Steel	120V	5x100W



B 2096-2-CH



A 2096-1-CH



A 2099-2-BN



C 2096-3-CH



B 2099-3-BN



D 2096-4-CH



C 2099-4-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2096-1-CH	1Lt Wall Sconce	6"LX9"HX7"E	CH	Clear Seeded Glass+Steel	120V	1x100W
B 2096-2-CH	2Lt Bath Light	15-1/2"LX8-1/4"HX7"E	CH	Clear Seeded Glass+Steel	120V	2x100W
C 2096-3-CH	3Lt Bath Light	23"LX8-1/4"HX7"E	CH	Clear Seeded Glass+Steel	120V	3x100W
D 2096-4-CH	4Lt Bath Light	31-1/2"LX8-1/4"HX7"E	CH	Clear Seeded Glass+Steel	120V	4x100W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2099-2-BN	2Lt Bath Light	14"LX8-3/4"HX7"E	BN	Clear Glass+Steel	120V	2x100W
B 2099-3-BN	3Lt Bath Light	22"LX8-3/4"HX7"E	BN	Clear Glass+Steel	120V	3x100W
C 2099-4-BN	4Lt Bath Light	30-1/2"LX8-3/4"HX7"E	BN	Clear Glass+Steel	120V	4x100W



A 2297-2-BN



B 2297-3-BN



C 2297-4-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2297-2-BN	2Lt Bath Light	24"Wx4-1/2"Hx5-5/8"E	BN	Faux Alabaster Glass+Steel	120V	2x60W
B 2297-3-BN	3Lt Bath Light	36"Wx4-1/2"Hx5-5/8"E	BN	Faux Alabaster Glass+Steel	120V	3x60W
C 2297-4-BN	4Lt Bath Light	48"Wx4-1/2"Hx5-5/8"E	BN	Faux Alabaster Glass+Steel	120V	4x60W



A 2326-3-BN



B 2326-4-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2326-3-BN	3Lt Bath Light	20-3/4"Wx12"Hx7"E	BN	White Opal Etched Glass+Steel	120V	3x60W
B 2326-4-BN	4Lt Bath Light	28-3/4"Wx12"Hx7"E	BN	White Opal Etched Glass+Steel	120V	4x60W



A 2264-2-CH



B 2218-2-CH



B 2264-3-CH



C 2218-3-CH



C 2264-4-CH



D 2218-4-CH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2264-2-CH	2Lt Bath Light	12-5/8"LX9-1/4"HX5-1/4"E	CH	Opal Glass+Steel	120V	2x60W
B 2264-3-CH	3Lt Bath Light	21-5/8"LX9-1/4"HX5-1/4"E	CH	Opal Glass+Steel	120V	3x60W
C 2264-4-CH	4Lt Bath Light	31"LX9-1/4"HX5-1/4"E	CH	Opal Glass+Steel	120V	4x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2218-1-CH	1Lt Wall Sconce	6"LX9-1/4"HX5-1/2"E	CH	Clear With Frit Inside Glass+Steel	120V	1x75W
B 2218-2-CH	2Lt Bath Light	15-1/4"LX8-1/4"HX5-1/2"E	CH	Clear With Frit Inside Glass+Steel	120V	2x75W
C 2218-3-CH	3Lt Bath Light	24-1/4"LX8-1/4"HX5-1/2"E	CH	Clear With Frit Inside Glass+Steel	120V	3x75W
D 2218-4-CH	4Lt Bath Light	33-1/4"LX8-1/4"HX5-1/2"E	CH	Clear With Frit Inside Glass+Steel	120V	4x75W



B 2221-2-CH



A 2221-1-CH



B 2200-2-CH



A 2200-1-CH



C 2221-3-CH



C 2200-3-CH



D 2221-4-CH



D 2200-4-CH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2221-1-CH	1Lt Wall Sconce	4-7/8"LX8-5/8"HX7-3/4"E	CH	Opal Glass+Steel	120V	1x100W
B 2221-2-CH	2Lt Bath Light	13-1/2"LX8-1/2"HX6-5/8"E	CH	Opal Glass+Steel	120V	2x100W
C 2221-3-CH	3Lt Bath Light	18"LX8-5/8"HX9-1/8"E	CH	Opal Glass+Steel	120V	3x100W
D 2221-4-CH	4Lt Bath Light	25-1/2"LX8-1/2"HX10-1/4"E	CH	Opal Glass+Steel	120V	4x100W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2200-1-CH	1Lt Wall Sconce	5"LX9-1/8"HX7-1/8"E	CH	Frosted Cracks Glass+Steel	120V	1x100W
B 2200-2-CH	2Lt Bath Light	12-1/8"LX10"HX7-1/8"E	CH	Frosted Cracks Glass+Steel	120V	2x100W
C 2200-3-CH	3Lt Bath Light	19-1/8"LX10"HX7-1/8"E	CH	Frosted Cracks Glass+Steel	120V	3x100W
D 2200-4-CH	4Lt Bath Light	26-1/8"LX10"HX7-1/8"E	CH	Frosted Cracks Glass+Steel	120V	4x100W

A 2228-2-BN



B 2079-2-CH



A 2079-1-CH

B 2228-3-BN



C 2079-3-CH



D 2079-4-CH

Additional Finishes:



C 2228-4-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2228-2-BN	2Lt Bath Light	18"LX9-1/8"HX9-1/4"E	BN	Frosted Glass+Steel	120V	2x60W
B 2228-3-BN	3Lt Bath Light	30"LX9-1/8"HX9-1/4"E	BN	Frosted Glass+Steel	120V	3x60W
C 2228-4-BN	4Lt Bath Light	36"LX9-1/8"HX9-1/4"E	BN	Frosted Glass+Steel	120V	4x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2079-1-CH	1Lt Wall Sconce	7"LX8-7/8"HX9"E	CH	Satin Opal Glass+Steel	120V	1x60W
B 2079-2-CH	2Lt Bath Light	18"LX10"HX7-7/8"E	CH	Satin Opal Glass+Steel	120V	2x60W
C 2079-3-CH	3Lt Bath Light	24-3/8"LX10-1/2"HX8-5/8"E	CH	Satin Opal Glass+Steel	120V	3x60W
D 2079-4-CH	4Lt Bath Light	36-1/2"LX9-1/4"HX8-5/8"E	CH	Satin Opal Glass+Steel	120V	4x60W



A 2331-1-SN



B 2331-2-SN



C 2331-3-SN



D 2331-4-SN



E 2331-5-SN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2331-2-SN	1Lt Bath Light	5"WX11-1/8"HX6-1/4"E	SN	Frosted Glass+Steel	120V	1x60W
B 2331-2-SN	2Lt Bath Light	12-5/8"LX11-1/8"HX6-1/4"E	SN	Frosted Glass+Steel	120V	2x60W
C 2331-3-SN	3Lt Bath Light	21-1/8"LX11-1/8"HX6-1/4"E	SN	Frosted Glass+Steel	120V	3x60W
D 2331-4-SN	4Lt Bath Light	29-3/8"LX11-1/8"HX6-1/4"E	SN	Frosted Glass+Steel	120V	4x60W
E 2331-5-SN	5Lt Bath Light	38"LX11-1/8"HX6-1/4"E	SN	Frosted Glass+Steel	120V	5x60W



A 2230-1-BN



B 2230-2-BN



C 2230-3-BN



D 2230-4-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2230-1-BN	1Lt Bath Light	5"WX9-5/8"HX7-1/4"E	BN	Frosted Glass+Steel	120V	1x60W
B 2230-2-BN	2Lt Bath Light	13-3/4"LX7-1/2"HX7-5/8"E	BN	Frosted Glass+Steel	120V	2x60W
C 2230-3-BN	3Lt Bath Light	20-1/2"LX7-1/2"HX7-5/8"E	BN	Frosted Glass+Steel	120V	3x60W
D 2230-4-BN	4Lt Bath Light	28-1/8"LX7-1/2"HX7-5/8"E	BN	Frosted Glass+Steel	120V	4x60W



A 2219-1-BN



B 2219-2-BN



C 2219-3-BN



D 2219-4-CH



B 2148-2-CH



A 2148-1-CH



C 2148-3-CH



D 2148-4-CH

Additional Finishes:



ORB



BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2219-1-BN	1Lt Wall Sconce	5-3/8"LX9-1/8"HX5-3/4"E	BN	Frosted Glass+Steel	120V	1x100W
B 2219-2-BN	2Lt Bath Light	14-7/8"LX8-3/4"HX5-7/8"E	BN	Frosted Glass+Steel	120V	2x100W
C 2219-3-BN	3Lt Bath Light	23"LX8-3/4"HX5-7/8"E	BN	Frosted Glass+Steel	120V	3x100W
D 2219-4-CH	4Lt Bath Light	31-1/4"LX8-3/4"HX5-7/8"E	CH	Frosted Glass+Steel	120V	4x100W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2148-1-CH	1Lt Wall Sconce	6"LX7-1/4"HX7-1/2"E	CH	Frosted Linen Glass+Steel	120V	1x100W
B 2148-2-CH	2Lt Bath Light	13-7/8"LX7-1/4"HX7-1/2"E	CH	Frosted Linen Glass+Steel	120V	2x100W
C 2148-3-CH	3Lt Bath Light	21-7/8"LX7-1/4"HX7-1/2"E	CH	Frosted Linen Glass+Steel	120V	3x100W
D 2148-4-CH	4Lt Bath Light	29-7/8"LX7-1/4"HX7-1/2"E	CH	Frosted Linen Glass+Steel	120V	4x100W

A 2263-2-BN



B 2217-2-BN



A 2217-1-BN

B 2263-3-BN



C 2217-3-BN



C 2263-4-BN



D 2217-4-BN



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2263-2-BN	2Lt Bath Light	15-1/8"LX8-1/8"HX6-7/8"E	BN	Opal Glass+Steel	120V	2x60W
B 2263-3-BN	3Lt Bath Light	22-1/4"LX8-1/8"HX6-7/8"E	BN	Opal Glass+Steel	120V	3x60W
C 2263-4-BN	4Lt Bath Light	31-1/4"LX8-1/8"HX6-7/8"E	BN	Opal Glass+Steel	120V	4x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2217-1-BN	1Lt Wall Sconce	8-3/4"LX4-1/2"HX6-5/8"E	BN	Opal Glass+Steel	120V	1x60W
B 2217-2-BN	2Lt Bath Light	14-1/2"LX4-1/2"HX6-5/8"E	BN	Opal Glass+Steel	120V	2x60W
C 2217-3-BN	3Lt Bath Light	21-5/8"LX4-1/2"HX6-5/8"E	BN	Opal Glass+Steel	120V	3x60W
D 2217-4-BN	4Lt Bath Light	30-1/2"LX4-1/2"HX6-5/8"E	BN	Opal Glass+Steel	120V	4x60W

A 2105-2-CH



B 2215-2-BN



B 2105-3-CH



C 2215-3-BN



D 2215-4-BN



C



E 2215-5-BN



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2105-2-CH	2Lt Bath Light	16"LX9"HX7"E	CH	Faux Alabaster Acrylic+Steel	120V	2x75W
B 2105-3-CH	3Lt Bath Light	27"LX9"HX7"E	CH	Faux Alabaster Acrylic+Steel	120V	3x75W
C 2105-4-CH	4Lt Bath Light	40"LX9"HX7"E	CH	Faux Alabaster Acrylic+Steel	120V	4x75W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2215-1-BN	1Lt Wall Sconce	4-7/8"LX9-3/8"HX5-7/8"E	BN	Frosted Glass+Steel	120V	1x60W
B 2215-2-BN	2Lt Bath Light	18"LX9-3/8"HX5-7/8"E	BN	Frosted Glass+Steel	120V	2x60W
C 2215-3-BN	3Lt Bath Light	20"LX9-3/8"HX5-7/8"E	BN	Frosted Glass+Steel	120V	3x60W
D 2215-4-BN	4Lt Bath Light	27-1/2"LX9-3/8"HX5-7/8"E	BN	Frosted Glass+Steel	120V	4x60W
E 2215-5-BN	5Lt Bath Light	35"LX9-3/8"HX5-7/8"E	BN	Frosted Glass+Steel	120V	5x60W



A 2144-1-BN



C 2144-3-BN



E 2144-5-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2144-1-BN	1Lt Wall Sconce	5-1/8"LX7-3/4"HX7-3/4"E	BN	Faux Alabaster Glass+Steel	120V	1x60W
B 2144-2-BN	2Lt Bath Light	14-3/8"LX7-3/4"HX7-3/4"E	BN	Faux Alabaster Glass+Steel	120V	2x60W
C 2144-3-BN	3Lt Bath Light	21-1/4"LX7-3/4"HX7-3/4"E	BN	Faux Alabaster Glass+Steel	120V	3x60W
D 2144-4-BN	4Lt Bath Light	29-3/8"LX7-3/4"HX7-3/4"E	BN	Faux Alabaster Glass+Steel	120V	4x60W
E 2144-5-BN	5Lt Bath Light	37-3/8"LX7-3/4"HX7-3/4"E	BN	Faux Alabaster Glass+Steel	120V	5x60W



A 2150-2-BN



B 2150-3-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2150-2-BN	2Lt Bath Light	15"LX6-1/4"HX6-1/8"E	BN	Satin Opal Glass+Steel	120V	2x100W
B 2150-3-BN	3Lt Bath Light	22-7/8"LX6-1/4"HX6-1/4"E	BN	Satin Opal Glass+Steel	120V	3x100W
C 2150-4-BN	4Lt Bath Light	27-1/2"LX6-1/4"HX6-1/4"E	BN	Satin Opal Glass+Steel	120V	4x100W



A 2075-3-BN



B 2075-4-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2075-3-BN	3Lt Bath Light	20"LX8-1/4"HX6"E	BN	Frosted Glass+Steel	120V	3x100W
B 2075-4-BN	4Lt Bath Light	31-1/2"LX8-1/4"HX6"E	BN	Frosted Glass+Steel	120V	4x100W



A 2258-1-CH-L



B 2258-2-CH-L



C 2258-3-CH-L




D 2258-4-CH-L



A 2216-1-GD-L



B 2216-2-GDI-L



C 2216-3-GD-L



D 2216-4-GD-L

Additional Finishes:



BN

LED

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2258-1-CH-L	1Lt Wall Sconce	4-3/4"LX8"HX4-1/8"E	CH	Frosted Glass+Steel	120V	6W	350Lm	≥80Ra	3000K
B 2258-2-CH-L	2Lt Bath Light	15-3/4"LX8"HX4-1/8"E	CH	Frosted Glass+Steel	120V	12W	700Lm	≥80Ra	3000K
C 2258-3-CH-L	3Lt Bath Light	24"LX8"HX4-1/8"E	CH	Frosted Glass+Steel	120V	18W	1070Lm	≥80Ra	3000K
D 2258-4-CH-L	4Lt Bath Light	32-1/2"LX8"HX4-1/8"E	CH	Frosted Glass+Steel	120V	24W	1400Lm	≥80Ra	3000K

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2216-1-GD-L	1Lt Wall Sconce	8-1/4"LX8"HX3-5/8"E	GD	Acrylic+Steel	120V	15W	900Lm	≥90Ra	3000K
B 2216-2-GD-L	2Lt Bath Light	19-1/8"LX6"HX3-5/8"E	GD	Acrylic+Steel	120V	30W	1800Lm	≥90Ra	3000K
C 2216-3-GD-L	3Lt Bath Light	30"LX6"HX3-5/8"E	GD	Acrylic+Steel	120V	45W	2700Lm	≥90Ra	3000K
D 2216-4-GD-L	4Lt Bath Light	40-3/4"LX6"HX3-5/8"E	GD	Acrylic+Steel	120V	60W	3600Lm	≥90Ra	3000K

A 2143-2-SN



A 2227-2-BN



B 2143-3-SN



B 2227-3-BN



C 2143-4-SN



C 2227-4-BN



D 2143-5-SN



D 2227-5-BN



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2143-2-SN	2Lt Bath Light	18"LX9-1/8"HX7-3/4"E	SN	Satin Opal Glass+Steel	120V	2x60W
B 2143-3-SN	3Lt Bath Light	24"LX9-1/8"HX7-3/4"E	SN	Satin Opal Glass+Steel	120V	3x60W
C 2143-4-SN	4Lt Bath Light	30"LX9-1/8"HX7-3/4"E	SN	Satin Opal Glass+Steel	120V	4x60W
D 2143-5-SN	5Lt Bath Light	36"LX9-1/8"HX7-3/4"E	SN	Satin Opal Glass+Steel	120V	5x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2227-2-BN	2Lt Bath Light	18"LX8-7/8"HX7-3/4"E	BN	Frosted Glass+Steel	120V	2x60W
B 2227-3-BN	3Lt Bath Light	23-7/8"LX8-7/8"HX7-3/4"E	BN	Frosted Glass+Steel	120V	3x60W
C 2227-4-BN	4Lt Bath Light	30"LX8-7/8"HX7-3/4"E	BN	Frosted Glass+Steel	120V	4x60W
D 2227-5-BN	5Lt Bath Light	36"LX8-7/8"HX7-3/4"E	BN	Frosted Glass+Steel	120V	5x60W



A 2145-2-SN



A 2044-2-BN



B 2145-3-SN



B 2044-3-BN



C 2145-4-SN



C 2044-4-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2145-2-SN	2Lt Bath Light	18"LX6"HX9-1/2"E	SN	Faux Alabaster Glass+Steel	120V	2x100W
B 2145-3-SN	3Lt Bath Light	24-5/8"LX6"HX9-1/2"E	SN	Faux Alabaster Glass+Steel	120V	3x100W
C 2145-4-SN	4Lt Bath Light	36"LX6"HX9-1/2"E	SN	Faux Alabaster Glass+Steel	120V	4x100W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2044-2-BN	2Lt Bath Light	17-1/8"WX8-1/4"HX6-3/4"E	BN	Satin Opal Glass+Steel	120V	2x40W
B 2044-3-BN	3Lt Bath Light	24"WX8-1/4"HX6-3/4"E	BN	Satin Opal Glass+Steel	120V	3x40W
C 2044-4-BN	4Lt Bath Light	36"WX8-1/4"HX6-3/4"E	BN	Satin Opal Glass+Steel	120V	4x40W

A 2229-2-SN



A 2222-2-BN



B 2229-3-SN



B 2222-3-BN



C 2229-4-SN



C 2222-4-BN



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2229-2-SN	2Lt Bath Light	18"LX7-1/4"HX7-3/8"E	SN	Frosted Glass+Steel	120V	2x100W
B 2229-3-SN	3Lt Bath Light	24"LX7-1/4"HX7-3/8"E	SN	Frosted Glass+Steel	120V	3x100W
C 2229-4-SN	4Lt Bath Light	30"LX7-1/4"HX7-3/8"E	SN	Frosted Glass+Steel	120V	4x100W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2222-2-BN	2Lt Bath Light	18"LX8-1/8"HX7-1/8"E	BN	Satin Etched White Glass+Steel	120V	2x13W
B 2222-3-BN	3Lt Bath Light	24"LX8-1/8"HX7-1/8"E	BN	Satin Etched White Glass+Steel	120V	3x13W
C 2222-4-BN	4Lt Bath Light	30"LX8-1/8"HX7-1/8"E	BN	Satin Etched White Glass+Steel	120V	4x13W



A 2291-3-BN



B 2291-4-BN




C 2291-5-BN


Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2291-3-BN	3Lt Bath Light	24"LX8-7/8"HX6-3/4"E	BN	Satin Etched White Glass+Steel	120V	3x13W
B 2291-4-BN	4Lt Bath Light	30"LX8-7/8"HX6-3/4"E	BN	Satin Etched White Glass+Steel	120V	4x13W
C 2291-5-BN	5Lt Bath Light	36"LX8-7/8"HX6-3/4"E	BN	Satin Etched White Glass+Steel	120V	5x13W



A 2220-1-NI



B 2220-3-NI



C 2220-4-NI

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2220-1-NI	1Lt Wall Sconce	4-7/8"LX4-7/8"HX14"E	NI	Opal Glass+Steel	120V	1x13W
B 2220-3-NI	3Lt Bath Light	23-1/2"LX4-3/4"HX14"E	NI	Opal Glass+Steel	120V	3x13W
C 2220-4-NI	4Lt Bath Light	33-1/2"LX4-3/4"HX14"E	NI	Opal Glass+Steel	120V	4x13W



A 2100-1-ORB

B 2100-2-ORB



C 2100-3-ORB



D 2100-4-ORB



E 2100-5-ORB



F 2100-6-ORB



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2100-1-ORB	1Lt Wall Sconce	5-1/4"LX8"HX8"E	ORB	Flux Alabaster Glass+Steel	120V	1x60W
B 2100-2-ORB	2Lt Bath Light	17"LX8"HX8"E	ORB	Flux Alabaster Glass+Steel	120V	2x60W
C 2100-3-ORB	3Lt Bath Light	23"LX8"HX8"E	ORB	Flux Alabaster Glass+Steel	120V	3x60W
D 2100-4-ORB	4Lt Bath Light	30"LX8"HX8"E	ORB	Flux Alabaster Glass+Steel	120V	4x60W
E 2100-5-ORB	5Lt Bath Light	36"LX8"HX8"E	ORB	Flux Alabaster Glass+Steel	120V	5x60W
F 2100-6-ORB	6Lt Bath Light	42-3/4"LX8"HX8"E	ORB	Flux Alabaster Glass+Steel	120V	6x60W



A 2211-1-BN

B 2211-2-BN



C 2211-3-BN



D 2211-4-BN



E 2211-5-BN



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2211-1-BN	1Lt Wall Sconce	12"LX6-3/4"HX6-7/8"E	BN	Clear Ribbed Glass+Steel	120V	1x60W
B 2211-2-BN	2Lt Bath Light	18"LX6-3/4"HX6-7/8"E	BN	Clear Ribbed Glass+Steel	120V	2x60W
C 2211-3-BN	3Lt Bath Light	24"LX6-3/4"HX6-7/8"E	BN	Clear Ribbed Glass+Steel	120V	3x60W
D 2211-4-BN	4Lt Bath Light	30"LX6-3/4"HX6-7/8"E	BN	Clear Ribbed Glass+Steel	120V	4x60W
E 2211-5-BN	5Lt Bath Light	36"LX6-3/4"HX6-7/8"E	BN	Clear Ribbed Glass+Steel	120V	5x60W



A 2224-3-CH



B 2224-4-CH



C 2224-5-CH



D 2224-6-CH



E 2224-8-CH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2224-3-CH	3Lt Bath Light	18"LX4-3/8"HX1-7/8"E	CH	Steel	120V	3x60W
B 2224-4-CH	4Lt Bath Light	24"LX4-3/8"HX1-7/8"E	CH	Steel	120V	4x60W
C 2224-5-CH	5Lt Bath Light	30"LX4-3/8"HX1-7/8"E	CH	Steel	120V	5x60W
D 2224-6-CH	6Lt Bath Light	36"LX4-3/8"HX1-7/8"E	CH	Steel	120V	6x60W
E 2224-8-CH	8Lt Bath Light	48"LX4-3/8"HX1-7/8"E	CH	Steel	120V	8x60W



A 2223-3-CH



B 2223-4-CH



C 2223-6-CH



D 2223-8-CH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2223-3-CH	3Lt Bath Light	18"LX4-3/4"HX2-3/8"E	CH	Steel	120V	3x60W
B 2223-4-CH	4Lt Bath Light	24"LX4-3/4"HX2-3/8"E	CH	Steel	120V	4x60W
C 2223-6-CH	6Lt Bath Light	36"LX4-3/4"HX2-3/8"E	CH	Steel	120V	6x60W
D 2223-8-CH	8Lt Bath Light	48"LX4-3/4"HX2-3/8"E	CH	Steel	120V	8x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2419-2-BN	2Lt Bath Light	18" L x 7" H x 8" E	BN	Frosted Glass+Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2428-1-BN	1Lt Bath Light	4-1/2" W x 7-3/4" H x 8" E	BN	Opal Glass +Steel	120V	1x60W
B 2428-3-BN	3Lt Bath Light	24" W x 7-3/4" H x 8" E	BN	Opal Glass +Steel	120V	3x60W
C 2428-4-BN	4Lt Bath Light	30" L x 7-3/4" H x 8" E	BN	Opal Glass +Steel	120V	4x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2444-3-BN	3Lt Bath Light	24" W x 7-1/2" H x 5" E	BN	Frosted Glass+Steel	120V	3x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2426-3-BK	3Lt Bath Light	23-1/2" W x 9-1/4" H x 7" E	BK	Clear Seeded Glass+Steel	120V	3x60W
B 2426-4-BK	4Lt Bath Light	32-1/2" W x 9-1/4" H x 7" E	BK	Clear Seeded Glass+Steel	120V	4x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2424-3-BK	3Lt Bath Light	24" L x 6-1/8" W x 6" E	BK	Frosted Glass+Steel	120V	3x60W
B 2424-4-BK	4Lt Bath Light	32" L x 6-1/8" W x 6" E	BK	Frosted Glass+Steel	120V	4x60W
C 2424-5-BK	5Lt Bath Light	36" L x 6-1/8" W x 6" E	BK	Frosted Glass+Steel	120V	5x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2387-3-CH	3Lt Bath Light	19-1/4" L x 6" H x 4-1/2" E	CH	Opal Glass+Steel	120V	3x60W
B 2387-4-CH	4Lt Bath Light	24-1/2" W x 6" H x 4-1/2" E	CH	Opal Glass+Steel	120V	4x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2445-3-BN	3Lt Bath Light	21" L x 8-3/4" H x 6-1/2" E	BN	Opal Glass+Steel	120V	3x60W
B 2445-4-BN	4Lt Bath Light	28-3/4" W x 8-3/4" H x 6-1/2" E	BN	Opal Glass+Steel	120V	4x60W



Additional Finishes:



GD



ORB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2098-3-CH	3Lt Bath Light	23-3/4" W x 10-1/4" H x 7-1/2" E	CH	Clear Seeded Glass+Steel	120V	3x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2389-3-CH	3Lt Bath Light	21-1/8" W x 8-1/2" H x 4-5/8" E	CH	Clear Glass+Steel	120V	3x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2388-2-BN	2Lt Bath Light	12" W x 9-1/2" H x 6-1/2" E	BN	Clear Seeded Glass+Steel	120V	2x60W
B 2388-3-BN	3Lt Bath Light	22" W x 9-1/2" H x 6-1/2" E	BN	Clear Seeded Glass+Steel	120V	3x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2390-3-CH	3Lt Bath Light	24" W x 9-1/2" H x 6-3/4" E	CH	Clear Seeded Glass+Steel	120V	3x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2304-4-CLP	4Lt Bath Light	32-1/2" W x 9-1/2" H x 7" E	CLP	Clear Ribbed Glass +Steel	120V	4x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2305-3-EB	3Lt Bath Light	26-7/8" W x 10" H	EB	Amber Stone Glass +Steel	120V	3x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2392-3-OZA-L	LED Bath Light	24"Wx5-1/2"Hx4-5/8"E	OZA	Opal Glass+Steel	120V	27W	1100Lm	≥90Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2328-3-BK	3Lt Bath Light	23-3/8" W x 8-1/2" H x 8-1/2" E	BK	Faux Alabaster Glass+Steel	120V	3x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2231-3-BN-L	LED Bath Light	22"Wx6-7/8"Hx7-3/4"E	BN	Clear Glass+ Frosted Glass+Steel	120V	22.5W	1700Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2301-41-CH-L	LED Bath Light	41-1/4"LX5-5/8" HX12-1/4"E	CH	Aluminum+Plate+Steel	120V	54W	1740Lm	≥80Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2303-3-CH	3Lt Bath Light	27-5/8" W x 8-3/4" H x 8-5/8" E	CH	Steel	120V	3x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2280-33-BN-L	LED Bath Light	33-1/8"W X 5" H X 3-3/8" E	BN	Clear Seeded Acrylic+Steel	120V	30W	1600Lm	≥80Ra	3000K





Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2285-3-BN	3Lt Bath Light	22-7/8" W x 7-1/2" H x 4-7/8" E	BN	Opal Glass +Steel	120V	3x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2327-3-BN	3Lt Bath Light	23-5/8" W x 8-3/8" H x 7-7/8" E	BN	Opal Glass +Steel	120V	3x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2377-3-BN-L	LED Bath Light	19-1/2" W x 8-3/4" H x 7" E	BN	Frosted Glass +Steel	120V	30W	2100Lm	≥80Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2391-3-CH	3Lt Bath Light	22" W x 7-7/8" H x 6" E	CH	Satin Opal Glass +Steel	120V	3x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2277-24-BN-L	LED Bath Light	23-7/8" W X 4-1/2" H X 5" E	BN	Acrylic+Steel	120V	23W	1500Lm	≥80Ra	3000K
B 2277-36-BN-L	LED Bath Light	36-1/4" W X 4-1/2" H X 5" E	BN	Acrylic+Steel	120V	30W	2530Lm	≥80Ra	3000K



Additional Finishes:



BK

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2282-24-BN-L	LED Bath Light	24-3/8" W X 4-7/8" H X 4" E	BN	Acrylic+Steel	120V	22W	1100Lm	≥80Ra	3000K
B 2282-36-BN-L	LED Bath Light	36" W X 4-7/8" H X 4" E	BN	Acrylic+Steel	120V	36W	1400Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2278-25-BN-L	LED Bath Light	25-1/2" W X 4-4/5" H X 3-3/4" E	BN	Acrylic+Steel	120V	23W	1510Lm	≥80Ra	3000K
B 2278-37-BN-L	LED Bath Light	37-5/8" W X 4-4/5" H X 3-3/4" E	BN	Acrylic+Steel	120V	30W	2100Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2281-18-BN-L	LED Bath Light	18-1/2" W X 4-5/8" H X 3-1/2" E	BN	Acrylic+Steel	120V	23W	1600Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2283-25-BN-L	LED Bath Light	25-1/2" W X 4-1/2" H X 4-1/2" E	BN	Acrylic+Steel	120V	23W	1720Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2040-20-BN-L	LED Bath Light	20-1/8" W X 4-3/4" H X 4" E	BN	Satin Opal Glass +Steel	120V	19W	820Lm	≥90Ra	3000K
B 2040-20-BN	2Lt Bath Light	20-1/8" W X 4-3/4" H X 4" E	BN	Satin Opal Glass +Steel	120V	2x60W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2284-38-BN-L	LED Bath Light	37-1/2" W X 5-1/2" H X 4" E	BN	Acrylic+Steel	120V	30W	1700Lm	≥80Ra	3000K



Additional Finishes:



BN

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2310-24-ORB-L	LED Bath Light	23-7/8" W X 4-1/2" H X 5" E	BN	Acrylic+Steel	120V	23W	1500Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2413-23-BK-L	LED Bath Light	23"Wx1-3/8" Hx3-1/4"E	BK	Acrylic+Steel	120V	15W	585Lm	≥90Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2412-14-BK-L	LED Bath Light	14"Lx4-1/2"Wx4"E	BK	Acrylic+Steel	120V	15W	1200Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2289-22-BK-L	LED Bath Light	22"Lx1"Wx1-3/4"E	BK	Acrylic+Steel	120V	15W	585Lm	≥90Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2399-36-BK-L	LED Bath Light	36"Lx5-1/2"Wx5"E	BK	Acrylic+Steel	120V	34W	2180Lm	≥90Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2113-24-BK-L	LED Bath Light	24-3/4" W X 3-1/8" H X 3-1/2" E	BK	Acrylic+Steel	120V	17W	800Lm	≥90Ra	3000K
B 2113-31-BK-L	LED Bath Light	31-1/8" W X 3-1/8" H X 3-1/2" E	BK	Acrylic+Steel	120V	24W	1300Lm	≥90Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2349-24-BK-L	LED Bath Light	24-1/4" L X 4-1/4" H X 4-1/4" E	BK	Acrylic+Steel	120V	23W	1100Lm	≥90Ra	3000K
B 2349-32-BK-L	LED Bath Light	32" L X 4-1/4" H X 4-1/4" E	BK	Acrylic+Steel	120V	30W	2000Lm	≥90Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2376-24-BN-L	LED Bath Light	24-3/8" L x 4-1/2" W x 5" E	BN	Acrylic+Steel	120V	20W	1500Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2339-24-BN-L	LED Bath Light	24" L x 4-3/8" H x 5" E	BN	Acrylic+Steel	120V	18W	1080Lm	≥90Ra	3000K




LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2025-34-BN-L	LED Bath Light	34" L X 8-1/8" H X 6" E	BN	Smooth White Acrylic+Steel	120V	34W	1750Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2240-32-BN-L	LED Bath Light	32-1/8" W X 5" H X 2-7/8" E	BN	Frosted White Glass+Steel	120V	42W	3000Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2033-30-BN-L	LED Bath Light	30-1/4" L X 4-1/2" H X 4-1/2" E	BN	Smooth White Acrylic+Steel	120V	18W	1400Lm	≥80Ra	3000K
B 2033-30-BN	2Lt Bath Light	30-1/4" L X 4-1/2" H X 4-1/2" E	BN	Smooth White Acrylic+Steel	120V	2x15W T8			
C 2033-48-BN	2Lt Bath Light	48-3/8" L X 4-1/2" H X 4-1/2" E	BN	Smooth White Acrylic+Steel	120V	2x25W T8			
D 2033-55-BN	2Lt Bath Light	51-5/8" L X 4-1/2" H X 4-1/2" E	BN	Smooth White Acrylic+Steel	120V	2x25W T8			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2032-30-BN-L	LED Bath Light	29-7/8" L X 4-3/8" H X 3-5/8" E	BN	Frosted Glass+Steel	120V	18W	1080Lm	≥80Ra	3000K




LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2335-25-BK-L	LED Bath Light	25-3/4"LX4-3/4" HX3-7/8" E	BK	White Ribbed Acrylic+Aluminum	120V	18W	1200Lm	≥80Ra	3000K
B 2335-49-BK-L	LED Bath Light	49-3/4"LX4-3/4" HX3-7/8" E	BK	White Ribbed Acrylic+Aluminum	120V	35W	2900Lm	≥80Ra	3000K
C 2335-25-BN	2Lt Bath Light	25-3/4"LX4-3/4" HX3-7/8" E	BK	White Ribbed Acrylic+Aluminum	120V	2x17W T8			
D 2335-49-BN	2Lt Bath Light	49-3/4"LX4-3/4" HX3-7/8" E	BK	White Ribbed Acrylic+Aluminum	120V	2x32W T8			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2392-25-BK-L	LED Bath Light	25-3/4"LX4-3/4" HX3-7/8" E	BK	White Ribbed Acrylic+Aluminum	120V	18W	1200Lm	≥80Ra	3000K
B 2392-49-BN-L	LED Bath Light	49-3/4"LX4-3/4" HX3-7/8" E	BK	White Ribbed Acrylic+Aluminum	120V	35W	2900Lm	≥80Ra	3000K
C 2392-25-BN	2Lt Bath Light	25-3/4"LX4-3/4" HX3-7/8" E	BK	White Ribbed Acrylic+Aluminum	120V	2x17W T8			
D 2392-49-BN	2Lt Bath Light	49-3/4"LX4-3/4" HX3-7/8" E	BK	White Ribbed Acrylic+Aluminum	120V	2x32W T8			




LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2393-24-BN-L	LED Bath Light	24"LX4-3/4" HX3-5/8" E	BN	Acrylic+Steel	120V	23W	1100Lm	≥90Ra	3000K
B 2393-48-BN-L	LED Bath Light	48"LX4-3/4" HX3-5/8" E	BN	Acrylic+Steel	120V	35W	2200Lm	≥90Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2112-36-BK-L	LED Bath Light	36"Lx2"W x1-1/4" E	BK	Smooth White Acrylic+Steel	120V	25W	1300Lm	≥80Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2146-24-CH	4Lt Bath Light	24"Wx6-1/2"Hx3-3/4"E	CH	Textured Glass +Steel	120V	4x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2394-11-BK	2Lt Bath Light	6" W x 11-1/4" H x 3-7/8" E	BK	Steel+Glass	120V	2x60W
B 2394-27-BN	4Lt Bath Light	27" L x 5-7/8" H x 3-7/8" E	BN	Steel+Glass	120V	4x60W

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2138-12-BN-L	LED Bath Light	11-3/4"W X 5-1/2" H X 3-5/8" E	BN	Frosted Glass +Steel	120V	10W	600Lm	≥80Ra	3000K
B 2138-12-BN	1Lt Bath Light	11-3/4"W X 5-1/2" H X 3-5/8" E	BN	Frosted Glass +Steel	120V	1x23W			
C 2138-24-BN	2Lt Bath Light	24"W X 6-3/4" H X 4-3/4" E	BN	Frosted Glass +Steel	120V	2x23W			
D 2138-31-BN	3Lt Bath Light	31-1/2"W X 6-3/4" H X 4-3/4" E	BN	Frosted Glass +Steel	120V	3x23W			



2358-20-BK-L



2358-20-WH-L



2358-20-BN-L

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2358-20-BN-L	LED Bath Light	20-1/8" W X 5-3/8" H X 7" E	BN	Aluminum+Steel	120V	10W	630Lm	≥90Ra	3000K



2323-14-GD-L



A 2323-14-BK-L



B 2323-24-BK-L



2323-24-GD-L

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2323-14-BK-L	LED Bath Light	14-1/2" L X 5" W X 3" E	BK	Acrylic+Steel	120V	9W	360Lm	≥90Ra	3000K
B 2323-24-BK-L	LED Bath Light	24" L X 5" H X 3" E	BK	Acrylic+Steel	120V	17W	700Lm	≥90Ra	3000K



A 2030-26-BN-L



B 2030-26-BN



C 2030-38-BN



D 2030-50-BN

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CR	CCT
A 2030-26-BN-L	LED Bath Light	26" W X 5" H X 4-3/4" E	BN	Smooth White Acrylic+Steel	120V	18W	1250Lm	≥80Ra	3000K
B 2030-26-BN	2Lt Bath Light	26" W X 5" H X 4-3/4" E	BN	Smooth White Acrylic+Steel	120V	2x17W T8			
C 2030-38-BN	2Lt Bath Light	38" W X 5" H X 4-3/4" E	BN	Smooth White Acrylic+Steel	120V	2x25W T8			
D 2030-50-BN	2Lt Bath Light	50" W X 5" H X 4-3/4" E	BN	Smooth White Acrylic+Steel	120V	2x32W T8			



A 2347-16-BK-L



B 2347-24-BK-L




C 2347-32-BK-L



D 2347-43-BK-L

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CR	CCT
A 2347-16-BK-L	LED Bath Light	15-3/4" LX 5-1/2" H X 1-3/8" E	BK	Aluminum+Acrylic	120V	14W	1820Lm	≥80Ra	3000K
B 2347-24-BK-L	LED Bath Light	24" LX 5-1/2" H X 1-3/8" E	BK	Aluminum+Acrylic	120V	20W	2600Lm	≥80Ra	3000K
C 2347-32-BK-L	LED Bath Light	32-5/8" LX 5-1/2" H X 1-3/8" E	BK	Aluminum+Acrylic	120V	30W	3900Lm	≥80Ra	3000K
D 2347-43-BK-L	LED Bath Light	43-1/4" LX 5-1/2" H X 1-3/8" E	BK	Aluminum+Acrylic	120V	40W	5200Lm	≥80Ra	3000K



A 2024-25-BN-L

D 2024-25-BN



B 2024-36-BN-L

E 2024-36-BN



C 2024-48-BN-L

F 2024-48-BN

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2024-25-BN-L	LED Bath Light	25"LX 5-3/4" HX4-1/2" E	BN	Smooth White Acrylic+Steel	120V	18W	1460Lm	≥80Ra	3000K
B 2024-36-BN-L	LED Bath Light	36"LX 5-3/4" HX4-1/2" E	BN	Smooth White Acrylic+Steel	120V	21W	2130Lm	≥80Ra	3000K
C 2024-48-BN-L	LED Bath Light	48"LX 5-3/4" HX4-1/2" E	BN	Smooth White Acrylic+Steel	120V	35W	2900Lm	≥80Ra	3000K
D 2024-25-BN	2Lt Bath Light	25"LX 5-3/4" HX4-1/2" E	BN	Smooth White Acrylic+Steel	120V	2x17W T8			
E 2024-36-BN	2Lt Bath Light	36"LX 5-3/4" HX4-1/2" E	BN	Smooth White Acrylic+Steel	120V	2x25W T8			
F 2024-48-BN	2Lt Bath Light	48"LX 5-3/4" HX4-1/2" E	BN	Smooth White Acrylic+Steel	120V	2x32W T8			



A 2023-24-BN-L

D 2023-24-BN



B 2023-36-BN-L

E 2023-36-BN



C 2023-49-BN-L

F 2023-49-BN

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2023-24-BN-L	LED Bath Light	24-3/4"LX 5-7/8" HX4-1/2" E	BN	Smooth White Acrylic+Steel	120V	18W	1460Lm	≥80Ra	3000K
B 2023-36-BN-L	LED Bath Light	36-1/2"LX 6" HX4-1/8" E	BN	Smooth White Acrylic+Steel	120V	26W	2130Lm	≥80Ra	3000K
C 2023-49-BN-L	LED Bath Light	49"LX 6" HX4-1/8" E	BN	Smooth White Acrylic+Steel	120V	35W	2900Lm	≥80Ra	3000K
D 2023-24-BN	2Lt Bath Light	24-3/4"LX 5-7/8" HX4-1/2" E	BN	Smooth White Acrylic+Steel	120V	2x17W T8			
E 2023-36-BN	2Lt Bath Light	36-1/2"LX 6" HX4-1/8" E	BN	Smooth White Acrylic+Steel	120V	2x25W T8			
F 2023-49-BN	2Lt Bath Light	49"LX 6" HX4-1/8" E	BN	Smooth White Acrylic+Steel	120V	2x32W T8			



Chrome (CH)



Brushed Nickel (BN)



Oil Rubbed Bronze (ORB)



A 2139-7-WH



B 2139-12-WH



C 2139-24-WH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2121-25-BN	4Lt Bath Light	25-5/8"Wx5-1/4"Hx4"E	BN	Frosted Glass +Steel	120V	2x13W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2139-7-WH	1Lt Bath Light	4-5/8"WX7-1/2"HX4-1/2"E	WH	Frosted Glass + Steel	120V	1x60W
B 2139-12-WH	2Lt Bath Light	12Lx4- 5/8Wx 3- 1/8"	WH	Frosted Glass + Steel	120V	2x60W
C 2139-24-WH	4Lt Bath Light	24"LX4-1/2"HX4-1/2"E	WH	Frosted Glass + Steel	120V	4x60W




LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2432-18-CH-L	LED Bath Light	18" W X 2-7/8" H X 3-7/8" E	CH	Steel	120V	3W	106Lm	≥90Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2446-24-CH-L	LED Bath Light	24" L x 4-1/2" H x 2-3/4" E	CH	Acrylic+Steel	120V	29W	2400Lm	≥90Ra	2700K



Product information

A Brightness Adjustable

Long press the power button to adjust the light brightness from 10% to 100% of the led light brightness.



B 3-Color temperature

This led lighting mirror has a variety of functions. Double click the button to change the color temperature: warm color (3000K), natural color (4000K) and white (6500K), Long press for dimming.



C ANTI-FOGGING



Anti fog technology keeps the mirror clear: the anti fog pad can remove the condensation on the mirror.



D Plug In or Hardwire


- Equipped with a plug itself. Besides, it's also hardwire available. Cut off plug, connect the mirror's wire to wall switch's wire, we recommended that do this job by a professional electrician

- LED bathroom mirror both Vertical or Horizontal hanging are available. (00K) , Long press for dimming.



E 5MM Copper-free mirror

With multilayer protection structure, vinchome mirror is more durablnd and clearer.



2407-2436

Size	W24"*H36"*E1 3/8"
Voltage	DC120V/60Hz
Power	24W
CCT temperature	3000K/4000K/6500K
CRI	>80Ra
Copper-free mirror	5MM

Anti-Fog	✓
Dimmable	✓
Touch Switch	✓
Waterproof	✓
Plug / Hardwired	✓
Installation Method	Horizontally/Vertically



2405-2424

Size	D24"* E1-5/8"
Voltage	DC120V/60Hz
Power	24W
CCT temperature	3000K/4000K/6500K
CRI	>80Ra
Copper-free mirror	5MM


Anti-Fog	✓
Diammable	✓
Touch Switch	✓
Waterproof	✓
Plug / Hardwired	✓
Installation Method	Horizontally/Vertically



2404-2836

Size	W24"*H36"*E1 3/8"
Voltage	DC120V/60Hz
Power	30W
CCT temperature	3000K/4000K/6500K
CRI	>80Ra
Copper-free mirror	5MM

Anti-Fog	✓
Diammable	✓
Touch Switch	✓
Waterproof	✓
Plug / Hardwired	✓
Installation Method	Horizontally/Vertically



2401-2436 2401-2836

Size	W24"*H36"*E1-3/4" W28"*H36"*E1-3/4"
Voltage	DC120V/60Hz
Power	30W
CCT temperature	3000K/4000K/6500K
CRI	>80Ra
Copper-free mirror	5MM

Anti-Fog	✓
Dimmable	✓
Touch Switch	✓
Waterproof	✓
Plug / Hardwired	✓
Installation Method	Horizontally/Vertically



2402-2436 2402-2836

Size	W24"*H36"*E1-3/4" W28"*H36"*E1-3/4"
Voltage	DC120V/60Hz
Power	30W
CCT temperature	3000K/4000K/6500K
CRI	>80Ra
Copper-free mirror	5MM

Anti-Fog	✓
Dimmable	✓
Touch Switch	✓
Waterproof	✓
Plug / Hardwired	✓
Installation Method	Horizontally/Vertically



2403-2436 2403-2836

Size	W24"*H36"*E1 3/4" W28"*H36"*E1 3/4"
Voltage	DC120V/60Hz
Power	30W
CCT temperature	3000K/4000K/6500K
CRI	>80Ra
Copper-free mirror	5MM


Anti-Fog	✓
Diammable	✓
Touch Switch	✓
Waterproof	✓
Plug / Hardwired	✓
Installation Method	Horizontally/Vertically

CEILING LIGHT COLLECTION






LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3297-31-CH-L	LED Ceiling Mount	31-1/8"WX5-1/2"H	CH	Aluminum+Steel+PC	120V	28W	1400Lm	≥80Ra	3000K



LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3298-24-CH-L-1	LED Ceiling Mount	24"WX2-3/4"H	CH	Aluminum+Steel+PC	120V	25W	1700Lm	≥80Ra	3000K




LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3296-32-CH-L	LED Ceiling Mount	32"WX4-1/2"H	CH	Aluminum+Steel+PC	120V	28W	2150Lm	≥80Ra	3000K



LED




Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3298-24-CH-L	LED Ceiling Mount	24"WX3-1/4"H	CH	Aluminum+Steel+PC	120V	44W	3000Lm	≥80Ra	3000K



LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3299-24-CH-L	LED Ceiling Mount	24-3/4"WX6-1/2"H	CH	Aluminum+Steel+PC	120V	52W	2250Lm	≥80Ra	3000K



LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3295-15-BK-L	LED Ceiling Mount	15-1/8"WX10-1/2"H	BK	Aluminum+Steel+PC	120V	25W	1300Lm	≥80Ra	3000K



LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3300-40-CH-L	LED Ceiling Mount	39-3/4"LX6-1/2"WX16-1/2"H	CH	Aluminum+Steel+PC	120V	53W	2150Lm	≥80Ra	3000K



LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3294-16-CH-L	LED Ceiling Mount	16-3/4"LX6-3/4"WX9"H	CH	Aluminum+Steel+PC	120V	23W	1590Lm	≥80Ra	3000K



Brushed Nickel (BN)



Oil Rubbed Bronze (ORB)



LED

Additional Finishes:



Oiled Bronze (OZ)

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3008-10-BN-L	LED Ceiling Mount	10-3/8" WX 3-1/2" H	BN	Smooth White Acrylic+Steel	120V	14W	770Lm	≥80Ra	3000K
B 3008-12-BN-L	LED Ceiling Mount	12" WX 3-5/8" H	BN	Smooth White Acrylic+Steel	120V	14W	770Lm	≥80Ra	3000K
C 3008-14-BN-L	LED Ceiling Mount	14" WX 3-7/8" H	BN	Smooth White Acrylic+Steel	120V	17W	990Lm	≥80Ra	3000K
D 3008-16-BN-L	LED Ceiling Mount	16" WX 4-1/2" H	BN	Smooth White Acrylic+Steel	120V	25W	1600Lm	≥80Ra	3000K
E 3008-18-BN-L	LED Ceiling Mount	17-3/4" WX 4-1/8" H	BN	Smooth White Acrylic+Steel	120V	33W	2210Lm	≥80Ra	3000K
F 3008-24-BN-L	LED Ceiling Mount	24" WX 5" H	BN	Smooth White Acrylic+Steel	120V	42W	3200Lm	≥90Ra	3000K
G 3008-10-BN	Ceiling Mount	10-3/8" WX 3-1/2" H	BN	Smooth White Acrylic+Steel	120V	1X22W T9			
H 3008-14-BN	Ceiling Mount	14" WX 3-7/8" H	BN	Smooth White Acrylic+Steel	120V	1X22W T9			
J 3008-16-BN	Ceiling Mount	16" WX 4-1/2" H	BN	Smooth White Acrylic+Steel	120V	1X22W T9			
K 3008-24-BN	Ceiling Mount	24" WX 5" H	BN	Smooth White Acrylic+Steel	120V	1X40W+1X32W T9			

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3009-32-BN-L	LED Ceiling Mount	32-3/8" LX 18-1/8" WX +/- 3/4" H	BN	Smooth White Acrylic+Steel	120V	42W	3200Lm	≥90Ra	3000K
B 3009-32-BN	Ceiling Mount	32-3/8" LX 18-1/8" WX +/- 3/4" H	BN	Smooth White Acrylic+Steel	120V	2X32W T9			



Brushed Nickel (BN)



Chrome (CH)

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3003-13-BN-L	LED Ceiling Mount	13" WX 3-1/2" H	BN	Smooth White Acrylic+Steel	120V	23W	1590Lm	≥80Ra	3000K



Black (BK)



Aged Brass (AB)



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3066-13-BN-L	LED Ceiling Mount	13-3/4" WX 3" H	BN	Smooth White Acrylic+Steel	120V	25W	1670Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3001-7-BN-L	LED Ceiling Mount	7-1/4" WX 3" H	BN	Satin Opal Glass+Steel	120V	14W	730Lm	≥80Ra	3000K
B 3001-9-BN-L	LED Ceiling Mount	9" WX 3-1/8" H	BN	Satin Opal Glass+Steel	120V	14W	730Lm	≥80Ra	3000K
C 3001-11-BN-L	LED Ceiling Mount	11-1/4" WX 3-1/2" H	BN	Satin Opal Glass+Steel	120V	17W	880Lm	≥80Ra	3000K
D 3001-7-BN	1Lt Ceiling Mount	7-1/4" WX 3" H	BN	Satin Opal Glass+Steel	120V	1X60W			
E 3001-9-BN	1Lt Ceiling Mount	9" WX 3-1/8" H	BN	Satin Opal Glass+Steel	120V	1X60W			
F 3001-11-BN	2Lt Ceiling Mount	11-1/4" WX 3-1/2" H	BN	Satin Opal Glass+Steel	120V	2X60W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3195-12-BN-L	LED Ceiling Mount	12"WX3"H	BN	Acrylic+Aluminum	120V	15W	1050Lm	≥80Ra	3000K
B 3195-16-BN-L	LED Ceiling Mount	16"WX4"H	AB	Acrylic+Aluminum	120V	17W	2000Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3215-31-BK-L	LED Ceiling Mount	31"WX6-3/4"H	BK+WD	Steel+Acrylic	120V	60W	4030Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 3212-8-BKWH-L	LED Ceiling Mount	8-1/4"WX2-1/2"H	BK+WH	Steel+Acrylic	120V	15W	≥80Ra	3000K



3092-15-WH



3092-15-SN



3092-15-GD

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3092-15-WH	3LT Ceiling Mount	15-3/4"WX5-1/8"H	WH	Satin Opal Glass+Steel	120V	3X9W E26 LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3219-13-BN	2Lt Ceiling Mount	13-1/2"WX6-1/2"H	BN	Frosted Glass+Steel	120V	2x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 3220-15-BK-L	LED Ceiling Mount	15-3/4"WX2"H	BK	Acrylic+Steel	120V	24W	≥80Ra	3000K
B 3220-19-BK-L	LED Ceiling Mount	19-5/8"WX2"H	BK	Acrylic+Steel	120V	36W	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3011-12-WH-L	LED Ceiling Mount	12"Wx3-5/8"H	WH	Smooth White Acrylic+Steel	120V	14W	1250Lm	≥80Ra	3000K
B 3011-15-WH-L	LED Ceiling Mount	15-1/2"Wx3-7/8"H	WH	Smooth White Acrylic+Steel	120V	25W	2000Lm	≥80Ra	3000K
C 3011-19-WH-L	LED Ceiling Mount	18-7/8"Wx5-3/8"H	WH	Smooth White Acrylic+Steel	120V	30W	2050Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3154-13-WH-L	LED Ceiling Mount	13-3/4"Wx3-7/8"H	WH	Smooth White Acrylic+Steel	120V	14W	1650Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3012-11-WH-L	LED Ceiling Mount	11-3/4"Wx2-3/4"H	WH	Smooth White Acrylic+Steel	120V	17W	960Lm	≥80Ra	3000K
B 3012-14-WH-L	LED Ceiling Mount	14-1/8"Wx3-1/8"H	WH	Smooth White Acrylic+Steel	120V	23W	2000Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3013-51-WH-L	LED Ceiling Mount	51-1/8"Lx11-5/8"Wx4-1/2"H	WH	Smooth White Acrylic+Steel	120V	42W	2600Lm	≥80Ra	3000K
B 3013-51-WH-2	2Lt Ceiling Mount	51-1/8"Lx11-5/8"Wx4-1/2"H	WH	Smooth White Acrylic+Steel	120V	2x32W T8			
C 3013-51-WH-4	4Lt Ceiling Mount	51-1/8"Lx16-5/8"Wx4-1/2"H	WH	Smooth White Acrylic+Steel	120V	4x32W T8			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3005-10-BN-L	LED Ceiling Mount	10" WX4-1/4" H	BN	Satin Opal Glass+Steel	120V	14W	670Lm	≥80Ra	3000K
B 3005-14-BN-L	LED Ceiling Mount	14" WX4-5/8" H	BN	Satin Opal Glass+Steel	120V	17W	800Lm	≥80Ra	3000K
C 3005-16-BN-L	LED Ceiling Mount	16-1/2" WX5-5/8" H	BN	Satin Opal Glass+Steel	120V	25W	1050Lm	≥80Ra	3000K
D 3005-10-BN	1Lt Ceiling Mount	10" WX4-1/4" H	BN	Satin Opal Glass+Steel	120V	1X75W			
E 3005-14-BN	1Lt Ceiling Mount	14" WX4-5/8" H	BN	Satin Opal Glass+Steel	120V	1X75W			
F 3005-16-BN	2Lt Ceiling Mount	16-1/2" WX5-5/8" H	BN	Satin Opal Glass+Steel	120V	2X75W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3007-11-BN-L	LED Ceiling Mount	11-1/4" WX5-3/4" H	BN	Faux Alabaster Glass+Steel	120V	14W	1064Lm	≥80Ra	3000K
B 3007-13-BN-L	LED Ceiling Mount	13-1/4" WX5-3/4" H	BN	Faux Alabaster Glass+Steel	120V	17W	1120Lm	≥80Ra	3000K
C 3007-15-BN-L	LED Ceiling Mount	15-1/4" WX6-5/8" H	BN	Faux Alabaster Glass+Steel	120V	25W	1850Lm	≥80Ra	3000K
D 3007-11-BN	2Lt Ceiling Mount	11-1/4" WX5-3/4" H	BN	Faux Alabaster Glass+Steel	120V	2X75W			
E 3007-13-BN	2Lt Ceiling Mount	13-1/4" WX5-3/4" H	BN	Faux Alabaster Glass+Steel	120V	2X75W			
F 3007-15-BN	3Lt Ceiling Mount	15-1/4" WX6-5/8" H	BN	Faux Alabaster Glass+Steel	120V	3X75W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3006-12-BN-L	LED Ceiling Mount	11-5/8" WX3-7/8" H	BN	Faux Alabaster Glass+Steel	120V	14W	650Lm	≥80Ra	3000K
B 3006-14-BN-L	LED Ceiling Mount	14-1/8" WX5-1/8" H	BN	Faux Alabaster Glass+Steel	120V	17W	815Lm	≥80Ra	3000K
C 3006-12-BN	1Lt Ceiling Mount	11-5/8" WX3-7/8" H	BN	Faux Alabaster Glass+Steel	120V	1X75W			
D 3006-14-BN	2Lt Ceiling Mount	14-1/8" WX5-1/8" H	BN	Faux Alabaster Glass+Steel	120V	2X75W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3010-12-BN-L	LED Ceiling Mount	11-7/8" WX4-1/8" H	BN	Faux Alabaster Glass+Steel	120V	14W	650Lm	≥80Ra	3000K
B 3010-14-BN-L	LED Ceiling Mount	14-1/2" WX4-7/8" H	BN	Faux Alabaster Glass+Steel	120V	17W	815Lm	≥80Ra	3000K
C 3010-16-BN-L	LED Ceiling Mount	16-1/8" WX5-1/4" H	BN	Faux Alabaster Glass+Steel	120V	25W	1150Lm	≥80Ra	3000K
D 3010-12-BN	2Lt Ceiling Mount	11-7/8" WX4-1/8" H	BN	Faux Alabaster Glass+Steel	120V	2X75W			
E 3010-14-BN	2Lt Ceiling Mount	14-1/2" WX4-7/8" H	BN	Faux Alabaster Glass+Steel	120V	2X75W			
F 3010-16-BN	3Lt Ceiling Mount	16-1/8" WX5-1/4" H	BN	Faux Alabaster Glass+Steel	120V	3X75W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3061-13-BN-L	LED Ceiling Mount	13-1/8"WX4-1/4"H	BN	White Linen Trim Shade+Steel+Acrylic	120V	17W	900Lm	≥80Ra	3000K
B 3061-17-BN-L	LED Ceiling Mount	17-3/8"WX4-1/4"H	BN	White Linen Trim Shade+Steel+Acrylic	120V	25W	1500Lm	≥80Ra	3000K
C 3061-13-BN	2Lt Ceiling Mount	13-1/8"WX4-1/4"H	BN	White Linen Trim Shade+Steel+Acrylic	120V	2X13W			
D 3061-17-BN	3Lt Ceiling Mount	17-3/8"WX4-1/4"H	BN	White Linen Trim Shade+Steel+Acrylic	120V	3X13W			

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT	Emergency Power
A 3020-15-BN-L	LED Ceiling Mount	15-1/4"WX4-3/4"H	BN	Acrylic+Steel	120V	17W	1100Lm	≥80Ra	3000K	5W
B 3020-15-BN-EM	LED Ceiling Mount	15-1/4"WX4-3/4"H	BN	Acrylic+Steel	120V	17W	1100Lm	≥80Ra	3000K	



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3058-12-BN-L	LED Ceiling Mount	12-1/8"WX3-5/8"H	BN	Linen Acrylic+Steel	120V	19W	1150Lm	≥80Ra	3000K
B 3058-15-BN-L	LED Ceiling Mount	15"WX4-3/8"H	BN	Linen Acrylic+Steel	120V	28.5W	1700Lm	≥80Ra	3000K
C 3058-17-BN	2Lt Ceiling Mount	17"WX6-1/4"H	BN	Linen Acrylic+Steel	120V	2x26W			
D 3058-21-BN	3Lt Ceiling Mount	21-3/4"WX6-1/8"H	BN	Linen Acrylic+Steel	120V	3x18W			

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3204-7-BN-3-L	LED Ceiling Mount	7-1/2"WX4-5/8"H	BN	White Opal Glass+Steel	120V	14W	840Lm	≥80Ra	3000K
B 3204-9-BN-3-L	LED Ceiling Mount	9-1/8"WX4-7/8"H	BN	White Opal Glass+Steel	120V	14W	840Lm	≥80Ra	3000K
C 3204-7-BN-3	1Lt Ceiling Mount	7-1/2"WX4-5/8"H	BN	White Opal Glass+Steel	120V	1x60W			
D 3204-9-BN-3	2Lt Ceiling Mount	9-1/8"WX4-7/8"H	BN	White Opal Glass+Steel	120V	2x60W			



A



B

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3174-14A-BN	2Lt Ceiling Mount	14-1/8"WX4-7/8"H	BN	Faux Alabaster Glass +Steel	120V	2x60W
B 3174-16A-BN	3Lt Ceiling Mount	16-5/8"WX5-5/8"H	BN	Faux Alabaster Glass +Steel	120V	3x60W



C D

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3175-14-BN	2Lt Ceiling Mount	14"WX3-3/4"H	BN	Faux Alabaster Glass +Steel	120V	2x60W

Additional Finishes:



Oiled Bronze (OZ)

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3108-17-OZ-1	3Lt Ceiling Mount	17-1/2"WX5-1/2"H	OZ	Satin Opal Glass +Steel	120V	3x60W
B 3108-20-OZ-1	4Lt Ceiling Mount	20-1/2"WX5-1/2"H	OZ	Satin Opal Glass +Steel	120V	4x60W
C 3108-17-OZ-2	3Lt Semi-Flush Mount	17-1/2"WX9-1/2"H	OZ	Satin Opal Glass +Steel	120V	3x60W
D 3108-20-OZ-2	4Lt Semi-Flush Mount	20-1/2"WX10-3/4"H	OZ	Satin Opal Glass +Steel	120V	4x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT	Emergency Power
A 3077-14-BN-L	LED Ceiling Mount	14-1/8"LX14-1/8"WX4-3/8"H	BN	Smooth White Acrylic+Aluminum	120V	23W	1670Lm	≥80Ra	3500K	
B 3077-14-BN-EM	LED Ceiling Mount	14-1/8"LX14-1/8"WX4-3/8"H	BN	Smooth White Acrylic+Aluminum	120V	23W	1670Lm	≥80Ra	3000K	10W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3047-14-BN	2Lt Ceiling Mount	14"LX14"WX4-1/4"H	BN	Acrylic+Steel	120V	2x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3199-10-WH-L	LED Ceiling Mount	10-5/8"LX10-5/8"WX4"H	WH	Clear Ribbed Acrylic+Aluminum	120V	10W	1070Lm	≥80Ra	3000K

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3190-13-BN	2Lt Ceiling Mount	13-3/8"LX13-3/8"WX3-1/2"H	BN	Glass+Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3072-13-BN	2Lt Ceiling Mount	16"Wx7-1/8"H	BN	Frosted Glass +Steel	120V	3x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3133-16-BN	3Lt Ceiling Mount	16"Wx7-1/8"H	BN	Frosted Glass +Steel	120V	3x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3088-18-BN	3Lt Ceiling Mount	18"W x 4-5/8"H	BN	Frosted Glass +Steel	120V	3X18W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3109-15-BN	2Lt Ceiling Mount	15-1/2"Wx4-5/8"H	BN	Faux Alabaster Glass +Steel	120V	2X13W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3050-14-BN	2Lt Ceiling Mount	14-1/2"Wx6-5/8"H	BN	White Acrylic+Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3040-10-BN	2Lt Ceiling Mount	10-1/2"W x 2-5/8"H	BN	Glass+Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3092-15-WH	3Lt Ceiling Mount	15-3/4"Wx5-1/8"H	WH	Satin Opal Glass+Steel	120V	3X9W LED E27



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3048-18-BN	3Lt Ceiling Mount	18"W x 4-1/2"H	BN	Frosted Glass+Steel	120V	3X60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3099-11-BN	1Lt Ceiling Mount	12"WX6-7/8"H	BN	Satin Opal Glass+Steel	120V	1x60W
B 3099-13-BN	2Lt Ceiling Mount	13"WX6-1/2"H	BN	Satin Opal Glass+Steel	120V	2x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3205-19-CH-L	LED Ceiling Mount	18-7/8"WX4-1/2"H	CH	Steel+Satin Opal Glass	120V	30W	2800Lm	≥80Ra	4000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3042-14-BN	2Lt Ceiling Mount	14"WX4-1/4"H	BN	Acrylic+Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3041-16-BN	2Lt Ceiling Mount	16"WX8-5/8"H	BN	Acrylic+Steel	120V	2x60W
B 3041-30-BN	4Lt Ceiling Mount	30"WX4-7/8"H	BN	Acrylic+Steel	120V	4x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3127-9-AI	1Lt Ceiling Mount	9-3/4"W x 5-1/2"H	AI	Opal Etched Glass+Steel	120V	23W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3134-12-BN	2Lt Ceiling Mount	12-1/2"Wx5"H	BN	Smooth White Acrylic+Steel	120V	2X60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3105-9-OBZ	1Lt Ceiling Mount	9-1/2"Lx9-1/2"Wx5-1/2"H	OBZ	Frosted Glass+Steel	120V	1x23W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3131-19-OZ	3Lt Ceiling Mount	19-1/4"Wx4"H	OZ	Smooth White Acrylic+Steel	120V	3X13W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3139-13-SN	2Lt Ceiling Mount	13"LX13"WX6-3/8"H	SN	Frosted Glass+Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3169-16-BN	3Lt Ceiling Mount	16-1/4"WX3-7/8"H	BN	Satin Etched White Glass+Steel	120V	3x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3140-12-BN	2Lt Ceiling Mount	12"WX4"H	BN	Frosted Glass+Steel	120V	2x9W LED
B 3140-16-BN	2Lt Ceiling Mount	16"WX4"H	BN	Frosted Glass+Steel	120V	3x9W LED



Additional Finishes:



Oiled Bronze (OZ)




Polished Brass (PB)

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CR	CCT
A 3067-12-SN-L	LED Ceiling Mount	12"WX3-3/4"H	SN	Flux Alabaster Glass+Steel	120V	14W	1100Lm	>80Ra	3000K
B 3067-16-SN-L	LED Ceiling Mount	16"WX4-3/4"H	SN	Flux Alabaster Glass+Steel	120V	25W	1800Lm	>80Ra	3000K
C 3067-12-SN	2Lt Ceiling Mount	12"WX3-3/4"H	SN	Flux Alabaster Glass+Steel	120V	2x60W			
D 3067-16-SN	3Lt Ceiling Mount	16"WX4-3/4"H	SN	Flux Alabaster Glass+Steel	120V	3x60W			
E 3067-20-SN	4Lt Ceiling Mount	20"WX5"H	SN	Flux Alabaster Glass+Steel	120V	4x60W			



Additional Finishes:



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3204-7-PB-9	1Lt Ceiling Mount	7-1/2"WX4-7/8"H	AB	Clear Ribbed Glass+Steel	120V	1x60W
B 3204-9-PB-9	2Lt Ceiling Mount	9-3/8"WX5-1/4"H	AB	Clear Ribbed Glass+Steel	120V	2x60W




Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3204-7-WH-6	1Lt Ceiling Mount	7-1/2"WX4-7/8"H	WH	Opal Ribbed Glass+Steel	120V	1x60W
B 3204-9-WH-6	2Lt Ceiling Mount	9-3/8"WX5-1/4"H	WH	Opal Ribbed Glass+Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3204-7-PS-7	1Lt Ceiling Mount	7-1/2"WX4-1/2"H	AB	Clear Diamond Glass+Steel	120V	1x60W
B 3204-9-PS-9	2Lt Ceiling Mount	9-3/8"WX5-1/4"H	AB	Clear Diamond Glass+Steel	120V	2x60W



Additional Finishes:



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3103-11-WH-6	1Lt Ceiling Mount	11"WX5-1/4"H	WH	Frost Melon Glass+Steel	120V	1x60W
B 3103-12-WH-6	2Lt Ceiling Mount	12-5/8"LX6"H	WH	Frost Melon Glass+Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3103-11-SN-12	1Lt Ceiling Mount	11"WX5-1/4"H	SN	Clear Decorative Pattern Glass+Steel	120V	1x60W
B 3103-12-SN-12	2Lt Ceiling Mount	12-5/8"LX6"H	SN	Clear Decorative Pattern Glass+Steel	120V	2x60W




Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3015-8-PB-9	1Lt Ceiling Mount	11-1/4"WX6"H	AB	Clear Ribbed Glass+Steel	120V	1x60W
B 3015-10-PB-9	2Lt Ceiling Mount	13-3/8"WX6"H	AB	Clear Ribbed Glass+Steel	120V	2x60W
C 3015-12-PB-9	2Lt Ceiling Mount	15-1/4"WX6"H	AB	Clear Ribbed Glass+Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3203-11-PB-18	1Lt Ceiling Mount	11-1/2"Wx6"H	SN	Frosted Leaves Glass+Steel	120V	1x60W




Additional Finishes:



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3203-11-OZ-4	2Lt Ceiling Mount	11-1/2"Wx6"H	OZ	Flux Alabaster Glass+Steel	120V	2x60W
B 3203-13-OZ-4	2Lt Ceiling Mount	13-1/2"Lx6"H	OZ	Flux Alabaster Glass+Steel	120V	2x60W
C 3203-15-OZ-4	3Lt Ceiling Mount	15-1/2"Wx6-3/4"H	OZ	Flux Alabaster Glass+Steel	120V	3x60W

Additional Finishes:



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3203-11-OZ-1	2Lt Ceiling Mount	11-1/2"Wx6"H	OZ	Frosted Glass+Steel	120V	2x60W
B 3203-13-OZ-1	2Lt Ceiling Mount	13-1/2"Lx6"H	OZ	Frosted Glass+Steel	120V	2x60W
C 3203-15-OZ-1	3Lt Ceiling Mount	15-1/2"Wx6-3/4"H	OZ	Frosted Glass+Steel	120V	3x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3101-6-WH-3	1Lt Ceiling Mount	6"WX7-1/2"H	WH	Opal Glass+Steel	120V	1x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3101-6-PB-20	1Lt Ceiling Mount	6"WX7-1/2"H	WH	Litchi Glass+Steel	120V	1x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3101-6-BN-9	1Lt Ceiling Mount	6"WX7-1/2"H	SN	Clear Ribbed Glass+Steel	120V	1x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3101-6-PB-7	1Lt Ceiling Mount	6"WX7-1/2"H	PB	Clear Diamond Glass+Steel	120V	1x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3121-14-PB	3Lt Ceiling Mount	14-1/2"WX6-5/8"H	PB	Frosted Glass+Steel	120V	3x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3102-12-WH	2Lt Ceiling Mount	11-3/4"LX11-3/4"WX5-3/8"H	WH	Glass+Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3056-14-WH	3Lt Ceiling Mount	14"WX7-1/8"H	WH	Opal Glass+Steel	120V	3x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3100-15-BN	1Lt Ceiling Mount	14-7/8"LX12-1/4"H	BN	Frosted Glass+Steel	120V	2x100W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3002-15-BN-L	LED Ceiling Mount	15-3/4"WX10-3/8"H	BN	Faux Alabaster Glass +Steel	120V	25W	1250Lm	≥80Ra	3000K
B 3002-15-BN	2Lt Ceiling Mount	15-3/4"WX10-3/8"H	BN	Faux Alabaster Glass +Steel	120V	2X60W			

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3074-15-BN	3Lt Semi-Flush Mount	15"WX14"H	BN	Frost Melon Glass+Steel	120V	3X60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3068-15-BN	3Lt Ceiling Mount	15"WX9-7/8"H	BN	Faux Alabaster Glass +Steel	120V	3x100W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3107-12-PE	1Lt Semi-Flush Mount	12-1/2"WX8-1/4"H	BN	Smooth White Acrylic+Steel	120V	1X26W



A



B

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3188-12-WH	2Lt Ceiling Mount	15"WX9"H	WH	Satin Etched White Glass+Steel	120V	3x10WLEDE26

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3098-14-BN-1	2Lt Ceiling Mount	14"WX7-3/4"H	BN	Fabric Shade+Steel+Frosted Glass	120V	2X60W
B 3098-14-BN-2	2Lt Ceiling Mount	14"WX7-3/4"H	BN	Fabric Shade+Steel+Frosted Glass	120V	2X60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3187-26-BN-L	LED Ceiling Mount	26"WX14-1/2"H	OZ	Fabric Shade+Steel+White Acrylic	120V	50W	2850Lm	≥80Ra	3000K

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3097-22-BN	3Lt Ceiling Mount	22"WX7-3/8"H	BN	Fabric Shade+Steel+White Acrylic	120V	3X15W LED E27



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3062-23-BN	6Lt Semi-Flush Mount	23-7/8"LX16"WX7-5/8"H	BN	White Linen Trim Shade +Steel+Frosted Glass	120V	6X9W LED E27

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3138-12-SN	2Lt Ceiling Mount	15-1/4"WX6-3/4"H	BN	White Fabric Shade +Steel+Glass	120V	2X60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3124-16-BN	2Lt Semi-Flush Mount	12-5/8"WX5-3/4"H	BN	Silk Shade+Steel +Opal Glass	120V	2X60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3124-12-BN	2Lt Semi-Flush Mount	16"WX10-1/8"H	BN	Fabric Shade+Steel +Smooth White Acrylic	120V	2X60W



UNDER CABINET LIGHTS




Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A B001-9-WH	1Lt Under Cabinet Light	9" LX4-1/4" DX 1-3/8" H	WH	Clear/sanded glass panel+Aluminum	120V	1x18W T5
B B001-17-WH	2Lt Under Cabinet Light	17-1/2" LX4-1/2" DX 1-3/8" H	WH	Clear/sanded glass panel+Aluminum	120V	2x18W T5
C B001-26-WH	3Lt Under Cabinet Light	26" LX4-1/2" DX 1-3/8" H	WH	Clear/sanded glass panel+Aluminum	120V	3x18W T5
D B001-36-WH	4Lt Under Cabinet Light	36-1/2" LX4-1/2" DX 1-3/8" H	WH	Clear/sanded glass panel+Aluminum	120V	4x18W T5



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A B002-12-WH-L LED	Under Cabinet Light	12" LX3-1/2" WX1"E	WH	Steel+Acrylic	120V	7.5W	460Lm	≥80	4000K
B B002-18-WH-L LED	Under Cabinet Light	18" LX3-1/2" WX1"E	WH	Steel+Acrylic	120V	10W	500Lm	≥80	4000K
C B003-24-WH-L LED	Under Cabinet Light	24" LX3-1/2" WX1"E	WH	Steel+Acrylic	120V	11W	690Lm	≥80	4000K



WALL SCONCE COLLECTION



D 2306-2-BK-3



A 2306-1-BKAB



B 2306-2-BKAB-1



C 2306-2-BK-2

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2306-1-BKAB	1Lt Wall Sconce	5-1/2"WX8"HX3-7/8"E	BK+AB	Steel	120V	1x60W
B 2306-2-BK-1	2Lt Wall Sconce	20"WX7-3/4"HX3-3/4"E	BK+AB	Steel	120V	2x60W
C 2306-2-BK-2	2Lt Wall Sconce	15-1/2"WX5"HX4-1/2"E	BK	Steel	120V	2x60W
D 2306-2-BK-3	2Lt Wall Sconce	17"HX5"WX2-3/4"E	BK	Steel	120V	2x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 2422-4-BK-L	LED Wall Sconce	4-1/2"WX15"HX3"E	BK	Aluminum	120V	10W	≥80	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 2421-6-BK-L	LED Wall Sconce	6"WX12"HX3-3/4"E	BK	Aluminum	120V	6W	≥90	2700K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 2423-18-BK-L	LED Wall Sconce	5-1/4"WX18"HX2-1/2"E	BK	Steel	120V	18W	≥90	2700K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 2441-8-BK-L	LED Wall Sconce	8"WX14-1/2"HX4"E	BK	Steel	120V	12W	≥90	3000K





LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2309-5-BK-L	LED Wall Sconce	5"WX8-5/8"HX3-7/8"E	BK+WH	Aluminum	120V	15W	600Lm	≥90Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2479-14-SCJ-L	LED Wall Sconce	5"WX14"HX4"E	SCJ	Steel	120V	22W	≥90	3000K	



A 2055-2-BK-1

B 2055-2-BK-2

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2055-2-BK-1	2Lt Wall Sconce	3-1/2"WX11"HX4"E	BK	Steel	120V	2x6. 5W Gu10 LED
B 2055-2-BK-2	2Lt Wall Sconce	3-1/2"WX11"HX4"E	BK	Steel	120V	2x6. 5W Gu10 LED



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2448-6-FS-L	LED Wall Sconce	6"WX7-7/8"HX1-3/4"E	FS	Aluminum+Acrylic	120V	2x6W	≥80	3000K	

LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 2309-5-BK-L	LED Wall Sconce	7"WX21"HX4"E	BK+GD	Aluminum	120V	15W	≥80Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2343-18-BK	1Lt Wall Sconce	4"WX18"HX3-1/2"E	BK	Steel	120V	1x40W T9 E26



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2355-18-BK	1Lt Wall Sconce	5"WX18-1/2"HX4"E	BK	Steel+Frosted White Glass +Clear Water Glass	120V	1x10W LED E26



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2455-18-AGB	1Lt Wall Sconce	4-1/2"WX18"HX4"E	AGB	Steel	120V	1x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2491-10-BK	2Lt Wall Sconce	10"W x 21"H x 4"E	BK	Steel+Fabric Shade	120V	2xLEDB10E12

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2510-10-BZ	1Lt Wall Sconce	7"Wx11-1/4"Hx4"E	BZ	Fabric Shade +Steel	120V	1x60W E26



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2490-6-LT4	1LT Wall Sconce	6"Wx20-7/8"Hx4"E	LT4	Steel+Fabric Shade	120V	1X5W E12

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2322-8-BZ	2Lt Wall Sconce	8"Wx13-1/2"Hx3-3/4"E	BZ	Fabric Shade+Steel	120V	2x40W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 2380-18-CH-L	LED Wall Sconce	18"LX4-1/2"WX3-3/4"E	CH	Steel+Opal glass	120V	12W	≥80	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2381-13-BRS	2Lt Wall Sconce	4-3/4"WX13"HX3-3/4"E	BRS	Steel+Satin Opal glass	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2342-20-GD	2LT Wall Sconce	4-3/4"WX20-1/8"HX4-1/4"E	GD	Steel+Opal Glass	120V	2X60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 2382-30-BK-L	LED Wall Sconce	30-3/8"LX5"HX5"E	BK	Steel+Acrylic	120V	25W	≥90	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2321-1-BZAB	1Lt Wall Sconce	6"WX14-3/4"HX4"E	BZ+AB	Steel+Clear sandblast glass	120V	1x40W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2442-19-OZ	LED Wall Sconce	4-3/4"WX19"HX6-1/4"E	OZ	Steel+Clear Glass	120V	1X60W,E26



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2346-2-OZ	2Lt Wall Sconce	5"WX22-1/4"HX4"E	OZ	Opal White Glass+Steel	120V	2x60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2356-2-BK	2Lt Wall Sconce	4-1/2"WX14"HX4"E	BK	Steel+Frosted Glass	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2362-5-BN	LED Wall Sconce	5"Wx8-1/2"Hx6-1/2"E	BN	Steel+Faux Alabaster Glass	120V	1x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 2363-6-CH-L	LED Wall Sconce	6-1/4"Wx6-3/8"Hx2-1/8"E	CH	Steel+Acrylic	120V	5W	≥80	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2204-11-BN	2Lt Wall Sconce	11"Wx12"Hx4"E	BN	Opal White Glass+Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2052-BN	1Lt Wall Sconce	5"Wx10-3/4"Hx4"E	BN	Frosted Glass + Steel	120V	1x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2110-20-CH	2Lt Wall Sconce	4-3/4"Wx20-1/8"Hx4-1/4"E	BN	Steel+Satin Opal Glass	120V	2X60W,E26



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2511-4-BN	1Lt Wall Sconce	4-1/4"Wx15-1/4"Hx4"E	BN	Acrylic+Steel	120V	1X10W T10LED E26



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2048-CH-L	LED Wall Sconce	4-1/2"Wx11-3/8"Hx5"E	CH	Etched Opal Glass+Steel	120V	7W	400Lm	≥80Ra	3000K
B 2048-CH	1Lt Wall Sconce	4-1/2"Wx11-3/8"Hx5"E	CH	Etched Opal Glass+Steel	120V	1x60W			



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2287-4-BN	1Lt Wall Sconce	4-1/2"Wx13-1/2"Hx4-1/2"E	BN	Satin Opal Glass+Steel	120V	1x60W



2307-6-RUF



2307-6-WH



2307-6-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2307-6-RUF	1Lt Wall Sconce	6"WX8-7/8"H	RUF	Opal Glass+Steel	120V	1x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2308-6-BN	1Lt Wall Sconce	5"WX10"H	BN	Matt white acrylic +Steel	120V	1x10W LED E26



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2311-7-BN	2Lt Wall Sconce	7-1/2"WX12-1/4"HX3-7/8"E	BN	Frosted white glass +Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2320-1-BN	1Lt Wall Sconce	5-1/2"WX10-3/4"HX7-1/4"E	BN	Satin Opal Glass +Steel	120V	1x10W LED E26



A 2205-5-BN



B 2205-8-BN



C 2205-14-BN



A 2035-8-BN



B 2035-11-BN



C 2035-19-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2205-5-BN	1Lt Wall Sconce	5-1/2"Wx6-1/4"Hx5"E	BN	Frosted Glass + Steel	120V	1x100W
B 2205-8-BN	2Lt Wall Sconce	8"WX16"HX6"E	BN	Frosted Glass + Steel	120V	2x100W
C 2205-14-BN	2Lt Wall Sconce	14-3/4"WX5-5/8"HX4"E	BN	Satin Opal Glass + Steel	120V	2x13W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2035-8-BN	2Lt Wall Sconce	8-1/2"WX8-3/4"HX3-1/2"E	BN	Frosted Glass + Steel	120V	2x13W
B 2035-11-BN	1Lt Wall Sconce	8-5/8"WX11-3/4"HX4"E	BN	Frosted Glass + Steel	120V	1x60W
C 2035-19-BN	2Lt Wall Sconce	8-5/8"WX19-5/8"HX4"E	BN	Frosted Glass + Steel	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2299-11-PB	1Lt Wall Sconce	11-3/4"WX6"H	PB	Faux alabaster glass +Steel	120V	1x100W



A 2236-1-CH



B 2236-2-CH

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2236-1-NCH	1Lt Wall Sconce	5-5/8"WX14-1/4"HX3-3/4"E	NCH	Fabric Shade +Steel+Aluminum	120V	1x13W
B 2236-2-NCH	2Lt Wall Sconce	11-1/8"WX14-1/4"HX3-3/4"E	NCH	Fabric Shade +Steel+Aluminum	120V	2x13W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2300-8-BN	2Lt Wall Sconce	7-7/8"WX16"HX4"E	BN	Frosted glass+Steel	120V	2x60W



LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2047-CH-L	1Lt Wall Sconce	4"WX10-1/4"HX7"E	CH	Etched Opal Glass+Steel	120V	7W	400Lm	≥80Ra	3000K
B 2047-CH	1Lt Wall Sconce	4"WX10-1/4"HX7"E	CH	Etched Opal Glass+Steel	120V	1x60W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2047-BN-L	LED Wall Sconce	14-1/2"Wx7"Hx4"E	BN	Etched Opal Glass+Steel	120V	7W	400Lm	≥80Ra	3000K
B 2047-BN	1Lt Wall Sconce	14-1/2"Wx7"Hx4"E	BN	Etched Opal Glass+Steel	120V	1x60W			

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2003-BN-L	LED Wall Sconce	16-1/2"Wx8-1/4"Hx4-1/8"E	BN	Frosted Glass+Steel	120V	9.5W	400Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2002-BN-L	LED Wall Sconce	16-1/2"Wx8-1/4"Hx4-1/8"E	BN	White Acrylic+Steel	120V	15W	780Lm	≥90Ra	3000K

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2142-BN	1Lt Wall Sconce	11-3/4"Wx6"Hx3-3/4"E	BN	Frosted Glass+Steel	120V	1x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2237-BN-L	LED Wall Sconce	5-7/8"Wx4-1/2"Hx4"E	BN	Steel	120V	6W	480Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2086-BN-L	LED Wall Sconce	12-7/8"Wx9-1/2"Hx3-7/8"E	BN	Smooth White Acrylic + Aluminum + Steel	120V	15W	800Lm	≥80Ra	3000K
B 2086-BN	2Lt Wall Sconce	12-7/8"Wx9-1/2"Hx3-7/8"E	BN	Smooth White Acrylic + Aluminum + Steel	120V	2x13W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2006-BN-L	LED Wall Sconce	13"Wx11"Hx4"E	BN	Fluted White Acrylic + Steel	120V	15W	780Lm	≥80Ra	3000K
B 2006-BN	2Lt Wall Sconce	13"Wx11"Hx4"E	BN	Fluted White Acrylic + Steel	120V	2x13W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2247-15-PN-L	LED Wall Sconce	15"Wx5"Hx3-7/8"E	PN	White Acrylic + Steel	120V	15W	770Lm	≥80Ra	3000K
B 2247-15-PN	1Lt Wall Sconce	15"Wx5"Hx3-7/8"E	PN	White Acrylic + Steel	120V	1x18W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2147-BN-L	LED Wall Sconce	7-7/8"W X 8-1/8"H X 3-7/8"E	CH	Frosted Glass +Steel	120V	15W	900Lm	≥80Ra	3000K
B 2147-BN	1Lt Wall Sconce	7-7/8"W X 8-1/8"H X 3-7/8"E	CH	Frosted Glass +Steel	120V	1x100W			

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2192-11-BN	1Lt Wall Sconce	11"W X 11"H X 4"E	BN	Frosted Glass +Steel	120V	1x100W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2260-6-BN	1Lt Wall Sconce	6"W X 6-1/4"H X 3-7/8"E	BN	Frosted Glass+Steel	120V	1x13W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2051-BN	1Lt Wall Sconce	5"W X 11-3/4"H X 4"E	BN	Satin Opal Glass+Steel	120V	1x13W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2238-7-BN-L-1	LED Wall Sconce	7"Wx10"Hx3-1/4"E	BN	White Acrylic+Steel+Aluminum	120V	12W	950Lm	≥80Ra	3000K
B 2238-7-BN	1Lt Wall Sconce	7"Wx10"Hx3-1/4"E	BN	White Acrylic+Steel+Aluminum	120V	1x60W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2014-BN-L	LED Wall Sconce	7-1/8"Wx16"Hx4"E	BN	Smooth White Acrylic+Stainless Steel	120V	25W	1500Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2016-7-BN-L	LED Wall Sconce	7"Wx13-1/8"Hx4"E	BN	Smooth White Acrylic+Steel	120V	15W	990Lm	≥80Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2261-10-ORB	1Lt Wall Sconce	10-3/4"Wx11-1/2"Hx4-1/2"E	ORB	Smooth White Acrylic+Steel	120V	1x18W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2189-6-BK	1Lt Wall Sconce	5-7/8"Wx10"Hx3-1/2"E	BK	Amber Glass+Steel	120V	1x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2239-12-BN-L	LED Wall Sconce	12"WX10-1/8"HX4"E	BN	Fabric Shade+Steel	120V	15W	900Lm	≥80Ra	3000K
B 2239-12-BN	1Lt Wall Sconce	12"WX10-1/8"HX4"E	BN	Fabric Shade+Steel	120V	1x18W			



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2207-6-SN	1Lt Wall Sconce	5-7/8" W x 9-7/8" H x 3-3/8" E	SN	Frosted Glass+ Steel	120V	1x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2208-6-SN	1Lt Wall Sconce	6-1/2"WX9-3/4"HX3-1/2"E	SN	Frosted Glass+ Steel	120V	1x18W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2242-7-BN	1Lt Wall Sconce	7"Wx10"Hx4"E	BN	Satin Opal Glass +Steel	120V	1x18W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2209-6-BN	2Lt Wall Sconce	10-7/8"WX11-3/4"HX3-7/8"E	BN	Frosted Glass +Steel+Aluminum	120V	2x13W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2210-9-BN	1Lt Wall Sconce	9"WX 11-5/8"HX 4"E	BN	Frosted Glass+ Steel	120V	1x18W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2243-9-BN	1Lt Wall Sconce	9-3/4"Wx8-3/4"Hx3-3/4"E	BN	Frosted Glass +Steel	120V	1x18W



**OUTDOOR LIGHT
COLLECTION
DESIGNERS FOUNTAIN**

OAA Series



2153-1-ORB



2153-1-SG



2153-1-BL



2153-1-BK



2153-1-IB



2153-1-WH




2153-1-RD



2153-1-S9

Additional Finishes:



OAA Series



A 2153-10-ORB



C 1120-13-ORB



A 2318-1-ORB



B 3318-1-ORB



B 2120-13-ORB



C 2318-2-ORB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2153-10-ORB	1Lt Outdoor Wall Sconce	10"Wx10"Hx15"E	ORB	Steel	120V	1x100W
B 2120-13-ORB	1Lt Outdoor Wall Sconce	13-3/4"Wx15-3/8"Hx23-1/4"E	ORB	Steel	120V	1x100W
C 1120-13-ORB	1Lt Outdoor Pendant	13-3/4"Wx7-5/8"H	ORB	Steel	120V	1x100W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2318-1-ORB	1Lt Outdoor Wall Sconce	10"Wx11-1/4"Hx10-1/2"E	ORB	Steel	120V	1x60W
B 3318-1-ORB	1Lt Outdoor Ceiling Light	10"Wx9"H	ORB	Steel	120V	1x60W
C 2318-2-ORB	2Lt Outdoor Wall Sconce	24"Wx11-1/4"Hx11-1/4"E	ORB	Steel	120V	2x60W

OAB Series



A 2317-1-IB



B 3317-1-IB



A 2314-13-IB-1



C 1314-13-IB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2317-1-IB	1Lt Outdoor Wall Sconce	10-1/8"WX12-1/8"HX15"E	IB	Steel	120V	1x60W
B 3317-1-IB	1Lt Outdoor Ceiling Light	10"WX9"H	IB	Steel	120V	1x60W



A 2315-7-ORB



B 2315-12-ORB



B 2314-13-BU-2



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2315-7-ORB	1Lt Outdoor Wall Sconce	7-1/2"WX9-1/2"HX9"E	ORB	Steel	120V	1x100W
B 2315-12-ORB	1Lt Outdoor Wall Sconce	12"WX11-1/4"HX14"E	ORB	Steel	120V	1x100W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2314-13-IB-1	1Lt Outdoor Wall Sconce	13-3/4"WX15-3/4"HX23-1/4"E	IB	Steel	120V	1x100W
B 2314-13-BU-2	1Lt Outdoor Wall Sconce	13-3/4"WX15-3/8"HX15-3/8"E	BU	Steel	120V	1x100W
C 1314-13-IB	1Lt Outdoor Pendant	13-3/4"W	IB	Steel	120V	1x100W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2430-7-BK	1Lt Outdoor Wall Sconce	7-1/2"W X 13-3/4"H X 14-3/4"E	BK	Steel	120V	60W

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2369-10-BK	1Lt Outdoor Wall Sconce	10"W X 8-1/2"H X 11-3/8"E	BK	Aluminum	120V	60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 2415-14-BK-L	LED Outdoor Wall Sconce	14-1/4" W X 12" H X 20-1/2" E	BK	Steel+Aluminum	120V	38W	≥80Ra	3000K

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2383-8-BK	1Lt Outdoor Wall Sconce	8"W X 9" H	BK+WH	Aluminum	120V	1X9W LED E26

LED

PHOTOCELL
SENSOR

OAL Series



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2443-8-IB	1Lt Outdoor Wall Sconce	8-1/2"WX10-1/4"HX10"E	IB	Steel	120V	1x100W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2316-10-BL	1Lt Outdoor Wall Sconce	10"WX10-1/4"HX17"E	BL	Steel	120V	1x100W



C 7071-3-BZ

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2071-1-BZ	1Lt Outdoor Wall Sconce	6"WX12-7/8"H	BZ	Water Glass+ Stainless Steel	120V	1x60W
B 2071-3-BZ	3Lt Outdoor Wall Sconce	8"WX14-3/8"H	BZ	Water Glass+ Stainless Steel	120V	3x60W
C 7071-3-BZ	3Lt Outdoor Post Light	9-7/8"WX22-1/2"H	BZ	Water Glass+ Stainless Steel	120V	3x60W

OAN Series



A 2398-3-BK



B 2398-1-BK



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2398-3-BK	3Lt Outdoor Wall Sconce	10-1/2"WX21-1/4"HX9-1/2"E	BK	Steel+Clean Glass	120V	3x60W E12
B 2398-1-BK	1Lt Outdoor Wall Sconce	7"WX14-3/4"HX6-3/4"E	BK	Steel+Clean Glass	120V	1x60W E27

OAC Series



A 2364-6-IB



E 1364-8-BK



D 3364-11-IB



B 2364-8-IB



F 7364-8-IB



C 2364-10-IB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2364-6-IB	1Lt Outdoor Wall Sconce	6" WX19-3/8" HX7" E	IB	Steel+Clear glass	120V	1x60W
B 2364-8-IB	2Lt Outdoor Wall Sconce	8" WX25" HX9-1/8" E	IB	Steel+Clear glass	120V	2x60W
C 2364-10-IB	3Lt Outdoor Wall Sconce	10" WX31-1/2" HX11-1/4" E	IB	Steel+Clear glass	120V	3x60W
D 3364-11-IB	2Lt Outdoor Ceiling Light	11-1/2" LX11-1/2" WX5" H	IB	Steel+Clear glass	120V	2x60W
E 1364-8-IB	2Lt Outdoor Pendant	8" LX8" WX20-1/8" H	IB	Steel+Clear glass	120V	2x60W
F 7364-8-IB	2Lt Post Lantern	8" LX8" WX23-3/8" H	IB	Steel+Clear glass	120V	2x60W

OAD Series



A 2313-5-IB



B 2313-7-IB



C 2313-9-IB



D 1313-7-IB



E 1313-7-IB-2

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2313-5-IB	1Lt Outdoor Wall Sconce	5"WX11-3/4"HX6-1/4"E	IB	Steel+Clear glass	120V	1x100W
B 2313-7-IB	1Lt Outdoor Wall Sconce	7-1/4"WX15-3/4"HX8-1/4"E	IB	Steel+Clear glass	120V	1x100W
C 2313-9-IB	1Lt Outdoor Wall Sconce	9"WX19-3/4"HX10-1/4"E	IB	Steel+Clear glass	120V	1x100W
D 1313-7-IB-1	1Lt Outdoor Pendant	7-1/4"WX15-3/4"H	IB	Steel+Clear glass	120V	1x100W
E 1313-7-IB-2	1Lt Outdoor Pendant	7"WX13"H	IB	Steel+Clear glass	120V	1x100W

OAE Series



A 2072-1-BZ-1



B 2072-1-BZ-2



C 2072-3-BZ



D 7072-3-BZ



E 1072-3-BZ

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2072-1-BZ-1	1Lt Outdoor Wall Sconce	5"Wx11-1/8"Hx6-1/2"E	BZ	Clear Glass +Aluminum	120V	1x100W
B 2072-1-BZ-2	1Lt Outdoor Wall Sconce	6-1/4"Wx13-3/4"Hx8"E	BZ	Clear Glass +Aluminum	120V	1x100W
C 2072-3-BZ	3Lt Outdoor Wall Sconce	8"Wx17-1/4"Hx10"E	BZ	Clear Glass +Aluminum	120V	3x60W
D 7072-3-BZ	3Lt Outdoor Post Light	8"Lx8"Wx18"H	BZ	Clear Glass +Aluminum	120V	3x60W
E 1072-3-BZ	3Lt Outdoor Pendant Light	8"Lx8"Wx16"H	BZ	Clear Glass +Aluminum	120V	3x60W

OAF Series



A 2312-5-IB-L



B 2312-6-IB-L



C 2312-8-IB-L

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2312-5-IB-L	LED Outdoor Wall Sconce	5" W X 12" H x 3-7/8" E	IB	Clear speeded glass + Aluminum	120V	9W	680Lm	≥90Ra	3000K
B 2312-6-IB-L	LED Outdoor Wall Sconce	6-1/2" W X 15-1/2" H x 5" E	IB	Clear speeded glass + Aluminum	120V	9W	680Lm	≥90Ra	3000K
C 2312-8-IB-L	LED Outdoor Wall Sconce	8" W X 19" H x 5-7/8" E	IB	Clear speeded glass + Aluminum	120V	15W	900Lm	≥90Ra	3000K



A 2365-5-BK



B 2365-7-BK

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2365-5-BK	1Lt Outdoor Wall Sconce	5" W X 10-1/8" H X 5" E	BK	Clear Glass + Steel	120V	1x100W
B 2365-7-BK	1Lt Outdoor Wall Sconce	7" W X 14-1/8" H X 7" E	BK	Clear Glass + Steel	120V	1x100W

OAG Series



A 2182-9-BK-2



B 2182-8-BK-2



D 2182-9-BK-1



C 2182-8-TZ-1



E 7182-9-TZ



F 1182-9-BK

Additional Finishes:



White (WH)



Tannery Bronze (TZ)

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2182-9-BK-2	1Lt Outdoor Wall Sconce	9-3/8"WX22-7/8"HX10"E	BK	Clear Glass +Aluminum	120V	1x100W
B 2182-8-BK-2	1Lt Outdoor Wall Sconce	8"WX19-3/4"HX8-5/8"E	BK	Clear Glass +Aluminum	120V	1x100W
C 2182-8-TZ-1	1Lt Outdoor Wall Sconce	8"WX14-5/8"HX8-1/2"E	TZ	Clear Glass +Aluminum	120V	1x100W
D 2182-9-BK-1	1Lt Outdoor Wall Sconce	9-1/4"WX17"HX10-1/4"E	TZ	Clear Glass +Aluminum	120V	1x100W
E 7182-9-TZ	1Lt Post Lantern	9-3/8"WX21-5/8"H	TZ	Clear Glass +Aluminum	120V	1x100W
F 1182-9-BK	1Lt Outdoor Pendant Light	9-3/8"WX13-1/2"H	BK	Clear Glass +Aluminum	120V	1x100W

OAH Series



A 2182-6-ORB



B 2182-7-BK



C 3182-11-BK



D 3182-7-BK



E 3182-12-BK

Additional Finishes:



White (WH)



Tannery Bronze (TZ)

A	2182-6-ORB	1Lt Outdoor Wall Sconce	6-3/8" W x 12" H x 8" E	ORB	Clear Glass +Aluminum	120V	1x100W
B	2182-7-BK	3Lt Outdoor Wall Sconce	7" W x 14-5/8" H x 8-3/8" E	BK	Clear Glass +Aluminum	120V	3x60W
C	3182-11-BK	2Lt Ceiling Mounts	10-7/8"Wx7-1/4"H	BK	Clear Glass +Aluminum	120V	2x60W
D	3182-7-BK	1Lt Ceiling Mounts	7-1/4"Wx7-1/4"H	BK	Clear Seeded Glass+Aluminum	120V	1x100W
E	3182-12-BK	2Lt Ceiling Mounts	12"Wx7"H	BK	Clear Glass +Aluminum	120V	2x60W

OAI Series



A 2073-1-MB-1



B 2073-1-MB-3



C 2073-1-MB-4



D 7073-1-MB

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2073-1-MB-1	1Lt Outdoor Wall Lantern	7-1/2"W X 14-1/8"H X 4"E	MB	Clear Steel+ Water Glass	120V	1x60W
B 2073-1-MB-3	1Lt Outdoor Wall Lantern	9"W x 17-3/8"H x 6-7/8"E	MB	Clear Steel+ Water Glass	120V	1x60W
C 2073-1-MB-4	1Lt Outdoor Wall Lantern	10-1/2"W X 19-3/4"H X 7-3/4"E	MB	Clear Steel+ Water Glass	120V	1x60W
D 7073-1-MB	1Lt Outdoor Post Light	10"L X 10"W X 22-1/4"H	MB	Clear Steel+ Water Glass	120V	1x60W

OAJ Series



A 2410-8-BZ-L



B 3410-10-BZ-L



C 1410-8-BZ-L



D 7410-8-BZ-L

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2410-8-BZ-L	LED Outdoor Wall Sconce	8"W x 13"H x 6"E	BZ	Steel + Glass	120V	15W	840Lm	≥80Ra	3000K
B 3410-10-BZ-L	LED Outdoor Ceiling light	10"L x 10"W x 5"H	BZ	Steel + Glass	120V	15W	990Lm	≥80Ra	3000K
C 1410-8-BZ-L	LED Outdoor Pendant	6-1/2"L x 6-1/2"W x 9-1/2"H	BZ	Steel + Glass	120V	15W	900Lm	≥80Ra	3000K
D 7410-8-BZ-L	LED Outdoor Post Light	6"L x 6"W x 10-7/8"H	BZ	Steel + Glass	120V	15W	660Lm	≥80Ra	3000K

OAK Series



A 2408-6-BK



D 1408-6-BK



E 3408-10-BK



B 2408-8-BK



F 3408-13-BK



C 2408-10-BK



G 7408-6-BK

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2408-6-BK	1Lt Outdoor Wall Sconce	6-1/2"WX15"HX7-1/2"E	BK	Aluminum + Clear glass	120V	1x60W
B 2408-8-BK	1Lt Outdoor Wall Sconce	8"WX18-1/2"HX9"E	BK	Aluminum + Clear glass	120V	1x60W
C 2408-10-BK	3Lt Outdoor Wall Sconce	10"WX22-7/8"HX11-1/8"E	BK	Aluminum + Clear glass	120V	3x60W
D 1408-6-BK	1Lt Outdoor Pendant	6-1/2"LX6-1/2"WX14"H	BK	Aluminum + Clear glass	120V	1x60W
E 3408-10-BK	2Lt Outdoor Ceiling Light	10"LX10"WX6-1/2"H	BK	Aluminum + Clear glass	120V	2x60W
F 3408-13-BK	2Lt Outdoor Ceiling Light	13"LX13"WX8-1/2"H	BK	Aluminum + Clear glass	120V	2x60W
G 7408-6-BK	1Lt Post Lantern	6-1/2"LX6-1/2"WX17-1/2"H	BK	Aluminum + Clear glass	120V	1x60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2385-4-MB-L	LED Outdoor Wall Sconce	4-1/2" W X 14-1/2" H X 4-7/8" E	MB	Steel	120V	1x50W GU10



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2397-6-BK-L	LED Outdoor Wall Sconce	5-1/2" W X 11-5/8" H X 10-3/8" E	BK	Aluminum + Clear Glass	120V	12W	860Lm	≥90Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2384-5-BZ-L	LED Outdoor Wall Sconce	4-7/8" W X 14" H X 3-7/8" E	BZ	Aluminum + Clear Cracks Glass	120V	1x35W GU10



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2274-6-BK-L	LED Outdoor Wall Sconce	6-3/8" W X 9-7/8" H X 3-1/2" E	BK	Aluminum + Frosted Glass	120V	9W	650Lm	≥80Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3316-11-BK	1Lt Outdoor Ceiling light	11" WX5-1/2"H	IB	Clear Speeded Glass +Steel	120V	1x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2191-4-BK	1Lt Outdoor Wall Sconce	4-1/4" W x 6-5/8" H x 5-1/2" E	BK	Clear+Plastic	120V	1x60W
B 2194-5-BK	1Lt Outdoor Wall Sconce	5-7/8" WX7-5/8" HX5-1/4" E	BK	PMMA+Plastic	120V	10W LED E27



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2429-6-BZ	1Lt Outdoor Wall Sconce	6" WX10-1/4" HX6-1/2" E	BK	Frosted Glass+Aluminum	120V	1x60W
B 2429-8-BZ	1Lt Outdoor Wall Sconce	8" WX13-1/4" HX8-3/4" E	BK	Frosted Glass+Aluminum	120V	1x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2077-2-WH	2Lt Outdoor Wall Sconce	4-1/2" WX44" HX7" E	WH	Frosted Glass+Aluminum	120V	2x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2330-4-BK	1Lt Outdoor Wall Sconce	4-1/2"WX14"HX4"E	BK	Satin opal glass+steel	120V	60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2366-7-BK	1Lt Outdoor Wall Sconce	7"WX16-7/8"HX6-7/8"E	BK	Clear speed glass+steel	120V	60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2070-7-BK	1Lt Outdoor Wall Sconce	7-1/4"WX16-1/2"HX8-1/8"E	BK	Clear speed glass+steel	120V	1x4.5W E27 LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2368-4-BK	1Lt Outdoor Wall Sconce	4-3/4"WX14-1/4"HX5"E	BKAB	Clear glass+Aluminum +Copper	120V	60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2345-9-BZ	2Lt Outdoor Wall Sconce	9" WX25" HX5-1/2" E	BZ	Acrylic+Aluminum	120V	60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2238-710-BK-L-2	LED Outdoor Wall Sconce	7" W X10" Hx3-1/4" E	BK	Aluminum+Acrylic	120V	12W	950Lm	≥80Ra	3000K
B 2238-710-BK	Outdoor Wall Sconce	7" W X10" Hx3-1/4" E	BK	Aluminum+Acrylic	120V	1X60W			
C 2238-716-BK-L	LED Outdoor Wall Sconce	7" W X16" Hx4" E	BK	Aluminum+Acrylic	120V	25W	1500Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2090-5-BZ-L	LED Wall Sconce	8-3/8" WX16" HX4" E	BZ	Acrylic+Aluminum	120V	25W	1250Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2015-BK-L	LED Outdoor Wall Sconce	10" W X14-1/8" H X5-3/8" E	BK	Frosted Painted White Glass+Steel	120V	15W	800Lm	≥80Ra	3000K
B 2015-BK	1Lt Outdoor Wall Sconce	10" W X14-1/8" H X5-3/8" E	BK	Frosted Painted White Glass+Steel	120V	2x60W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2062-8-BK-L	LED Outdoor Wall Sconce	7-7/8"Wx9-5/8"Hx4-3/8"E	BK	Sandblast Glass+Steel	120V	15W	700Lm	≥80Ra	3000K
B 2062-8-BK	1Lt Outdoor Wall Sconce	7-7/8"Wx9-5/8"Hx4-3/8"E	BK	Sandblast Glass+Steel	120V	1X60W			



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2183-10-OBZ	2Lt Outdoor Wall Sconce	10"Wx15"Hx5"E	OBZ	Acrylic +Stainless Steel	120V	2x13W



A 2332-7-BKF-L




B 7332-7-BKF-L

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2332-7-BKF-L	LED Outdoor Wall Sconce	7-1/2" W X15" Hx8-1/2" E	BKF	Etched seeded glass +Aluminum	120V	17W	875Lm	≥90Ra	3000K
B 7332-7-BKF-L	LED Outdoor Wall Sconce	7-1/2" W X18-1/4" H	BKF	Etched seeded glass +Aluminum	120V	17W	875Lm	≥90Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2334-7-BK	1Lt Outdoor Wall Sconce	7-1/2"WX14"HX8-1/2"E	BK	Frosted Glass+Steel	120V	1x13W Gu24



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2233-8-BK	1Lt Outdoor Wall Sconce	8-5/8" Lx4-3/4" Wx4-1/8" H	BK	Frosted Ribbed Glass +Aluminum	120V	1x100W
B 2233-11-BK	1Lt Outdoor Wall Sconce	11-1/8" Lx6-3/8" Wx5-1/8" H	BK	Frosted Ribbed Glass +Aluminum	120V	1x13W

LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2063-6-BK-L	LED Outdoor Wall Sconce	6" W X 13-3/4" H X 6-3/4" E	BK	Frosted Glass +Aluminum	120V	15W	620Lm	≥80Ra	3000K
B 2063-6-BK	1Lt Outdoor Wall Sconce	6" W X 13-3/4" H X 6-3/4" E	BK	Frosted Glass +Aluminum	120V	1x60W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2010-16-OZ-L	LED Outdoor Wall Sconce	16-1/2"Lx7-1/4"Hx4-3/4"E	OZ	Aluminum+Acrylic	120V	1X10W T8 LED
B 2010-21-OZ-L	LED Outdoor Wall Sconce	21-5/8"Lx7-1/4"Hx4-3/4"E	OZ	Aluminum+Acrylic	120V	2X10W T8 LED
A 2010-26-OZ-L	LED Outdoor Wall Sconce	26-1/8"Lx7-1/4"Hx4-3/4"E	OZ	Aluminum+Acrylic	120V	2X10W T8 LED

LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2068-4-BK-L	LED Outdoor Wall Sconce	4-3/4" W X 9-1/2" H X 5-7/8" E	BK	Clear Glass+Aluminum	120V	6W	360Lm	≥80Ra	3000K
B 2068-4-BK	1Lt Outdoor Wall Sconce	4-3/4" W X 9-1/2" H X 5-7/8" E	BK	Clear Glass+Aluminum	120V	1x60W			

LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2061-5-BK-L	LED Outdoor Wall Sconce	5-1/2" W x 9-7/8" H x 6-1/8" E	BK	Clear Glass+Aluminum	120V	15W	620Lm	≥80Ra	3000K
B 2061-5-BK	1Lt Outdoor Wall Sconce	5-1/2" W x 9-7/8" H x 6-1/8" E	BK	Clear Glass+Aluminum	120V	1x60W			



A 2181-12-BGF



B 2181-5-BGF

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2181-12-BGF	1Lt Outdoor Wall Sconce	11-3/4" W x 13" H x 13-3/4" E	BGF	Art Glass +Steel	120V	1x100W
B 2181-5-BGF	1Lt Outdoor Wall Sconce	5" W x 14-1/4" H x 7-3/4" E	BGF	Art Glass +Steel	120V	1x100W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2193-6-BK	1Lt Outdoor Wall Sconce	6" W x 16-5/8" H x 6-3/4" E	BK	Clear Glass+Aluminum	120V	1x60W



A 2188-6-BK



B 2188-7-BK

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2188-6-BK	1Lt Outdoor Wall Sconce	7-5/8" H x 16" W x 9-7/8" E	BK	Faux Alabaster Glass +Aluminium	120V	1x100W
B 2188-7-BK	1Lt Outdoor Wall Sconce	7-5/8" W x 14-5/8" H x 9-1/2" E	BK	Faux Alabaster Glass +Aluminium	120V	1x100W



2031-5-BK



2031-5-TZ



2031-5-BN

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2031-5-BN	1Lt Outdoor Wall Sconce	5" W x 8-1/8" H x 5-3/4" E	BK	Clear Glass+ Stainless Steel	120V	1X100W

LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2199-WH-L	LED Outdoor Wall Sconce	6"Wx 10-1/2"H x4"E	WH	Textured Acrylic +Aluminum	120V	9W	630Lm	≥90Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2184-4-BK	1Lt Outdoor Wall Sconce	4-3/4" Wx7-1/4" Hx5-3/8" E	BK	Clear Glass +Steel	120V	1x100W
B 3184-5-SN	1Lt Outdoor Ceiling Light	5" Wx6-1/4" H	SN	Clear Glass +Steel	120V	1x100W

LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2329-6-BN-L	LED Outdoor Wall Sconce	6"Wx 8"H x4"E	BN	Steel+Acrylic	120V	12W	340Lm	≥90Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2185-6-WH	1Lt Outdoor Wall Sconce	5-7/8" W x 8-5/8" H x 6-7/8" E	WH	Frosted Glass + Aluminum	120V	1X100W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2206-5-BN-L	LED Outdoor Wall Sconce	5-5/8"Wx8"Hx3-7/8"H	BN	Aluminum+Acrylic	120V	9W	620Lm	≥80Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 2202-6-SN	1Lt Outdoor Wall Sconce	6-1/4"Wx10-1/2"Hx7-1/2"E	SN	Clear Ribbed Glass + Aluminum	120V	1X60W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2232-25-BN-L	LED Outdoor Wall Sconce	7-1/4"W X 25"H x 3-7/8"E	BN	Aluminum+Acrylic	120V	28W	1600Lm	≥80Ra	3000K
B 2232-49-BN-L	LED Outdoor Wall Sconce	7-1/4"W X 49"H x 3-7/8"E	BN	Aluminum+Acrylic	120V	56W	2800Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3004-8-WH-L	LED Outdoor Ceiling Light	8-1/4" W X 4-5/8" H	BK	White Plastic+PC	120V	15W	780Lm	≥80Ra	3000K
B 3004-10-WH-L	LED Outdoor Ceiling Light	10-3/8" W X 5-1/2" H	BK	White Plastic+PC	120V	17W	810Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3166-7-BK-L	LED Outdoor Ceiling Light	7-1/2" W X 2-1/2" H	BK	PC+Aluminum	120V	9.5W	470Lm	≥80Ra	3000K
B 3166-11-BK-L	LED Outdoor Ceiling Light	10-7/8" W X 2-7/8" H	BK	PC+Aluminum	120V	20W	610Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3021-8-BK-L	LED Outdoor Ceiling Light	8-1/2" W X 4-5/8" H	BK	Aluminum+Frosted Glass	120V	15W	630Lm	≥90Ra	3000K
B 3021-10-BK-L	LED Outdoor Ceiling Light	10-1/2" W X 4-5/8" H	BK	Aluminum+Frosted Glass	120V	17W	810Lm	≥90Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3167-11-BK-L	LED Outdoor Ceiling Light	11-3/4" W X 3-1/2" H	BK	PC+Aluminum	120V	20W	690Lm	≥90Ra	3000K



LED

PHOTOCELL
SENSOR

Item Number	Configuration	Dimensions	Finish	Material	Features	Input Voltage	Power	Lumens	CRI	CCT
A 2294-6-BK-LIR	LED Outdoor Wall Sconce	6" W X 11" H X 8" E	BK	Aluminum+ Frosted Glass	Sensor Light /Auto on & Off	120V	9W	510Lm	≥80Ra	3000K
B 2294-6-BK	1Lt Outdoor Wall Sconce	6" W X 11" H X 8" E	BK	Aluminum+ Frosted Glass		120V	1x60W			



LED

PHOTOCELL
SENSOR

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2293-6-BK-L	LED Outdoor Wall Sconce	6-1/4" W X 11-3/4" H X 8" E	BK	Aluminum+Clear Water Glass	120V	9W	660Lm	≥80Ra	3000K
B 2293-6-BK	1Lt Outdoor Wall Sconce	6-1/4" W X 11-3/4" H X 8" E	BK	Aluminum+Clear Water Glass	120V	1x60W			



LED

PHOTOCELL
SENSOR

Item Number	Configuration	Dimensions	Finish	Material	Features	Input Voltage	Power	Lumens	CRI	CCT
A 2298-6-BK-LIR	LED Outdoor Wall Sconce	6-1/4" W X 10" H X 7-1/4" E	BK	Aluminum+ Frosted Glass	Sensor Light /Auto on & Off	120V	9W	550Lm	≥80Ra	3000K
B 2298-6-BK	1Lt Outdoor Wall Sconce	6-1/4" W X 10" H X 7-1/4" E	BK	Aluminum+ Frosted Glass		120V	1x60W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2274-6-BK-L	LED Outdoor Wall Sconce	6-3/8" W X 9-7/8" H X 3-1/2" E	BK	Aluminum+ Frosted Glass	120V	9W	650Lm	≥80Ra	3000K



LED

PHOTOCELL
SENSOR

Item Number	Configuration	Dimensions	Finish	Material	Features	Input Voltage	Power	Lumens	CRI	CCT
A 2266-8-BK-LIR	LED Outdoor Wall Sconce	8" W X 11-1/2" H X 5-3/8" E	BK	Aluminum+ Frosted Glass	Sensor Light /Auto on & Off	120V	9W	520Lm	≥80Ra	3000K
B 2266-8-BK	1Lt Outdoor Wall Sconce	8" W X 11-1/2" H X 5-3/8" E	BK	Aluminum+ Frosted Glass		120V	1x60W			



LED

LIGHT
PERCEPTION
SENSOR

Item Number	Configuration	Dimensions	Finish	Material	Features	Input Voltage	Power	Lumens	CRI	CCT
A 2273-5-BK-LPIR	LED Outdoor Wall Sconce	5-1/4" W X 8-5/8" H X 2-3/8" E	BK	Aluminum+ PC+Steel	Light Perception Sensor	120V	9W	220Lm	≥80Ra	4000K



LED

PHOTOCELL
SENSOR

Item Number	Configuration	Dimensions	Finish	Material	Features	Input Voltage	Power	Lumens	CRI	CCT
A 2064-7-BK-L	LED Outdoor Wall Sconce	7-5/8" W X 9-3/4" H X 4-1/4" E	BK	Acrylic+ Aluminum		120V	15W	620Lm	≥80Ra	3000K
B 2064-7-BK-LIR	LED Outdoor Wall Sconce	7-5/8" W X 9-3/4" H X 4-1/4" E	BK	Acrylic+ Aluminum	Sensor Light /Auto on & Off	120V	9W	460Lm	≥80Ra	3000K
C 2064-7-BK	1Lt Outdoor Wall Sconce	7-5/8" W X 9-3/4" H X 4-1/4" E	BK	Acrylic+ Aluminum		120V	2x13W			



LED

PHOTOCELL
SENSOR

Item Number	Configuration	Dimensions	Finish	Material	Features	Input Voltage	Power	Lumens	CRI	CCT
A 2067-4-BK-L	LED Outdoor Wall Sconce	4-1/2" W X 6-3/4" H X 5-3/4" E	BK	Aluminum+ Opal Glass		120V	15W	620Lm	≥80Ra	3000K
B 2067-4-BK-LIR	LED Outdoor Wall Sconce	4-1/2" W X 6-3/4" H X 5-3/4" E	BK	Aluminum+ Opal Glass	Light Perception Sensor	120V	9W	600Lm	≥80Ra	4000K
C 2067-4-BK	1Lt Outdoor Wall Sconce	4-1/2" W X 6-3/4" H X 5-3/4" E	BK	Aluminum+ Opal Glass		120V	13W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2270-7-BK-L	LED Outdoor Wall Sconce	7-1/8" W X 9-7/8" H X 3-3/4" E	BK	Aluminum+ Frosted Glass	120V	9W	520Lm	≥80Ra	4000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2271-10-BK-L	LED Outdoor Wall Sconce	6-7/8" W X 10-3/8" H X 3-7/8" E	BK	Aluminum +PC	120V	25W	2250Lm	≥80Ra	5000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2295-7-ZAF-L	LED Outdoor Wall Sconce	7-1/4" W X 10-1/4" H X 4" E	ZAF	Aluminum+ PC	120V	9W	320Lm	≥80Ra	4000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2279-4-TS-L	LED Outdoor Wall Sconce	4-3/4" W X 9-3/4" H X 3-1/4" E	TS	Aluminum +PC	120V	9W	570Lm	≥80Ra	4000K

OUTDOOR CEILING LIGHT



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3018-9-BK-L	LED Outdoor Ceiling Light	9-1/2" W X 5" H	BK	Frosted Glass + Aluminum	120V	15W	830Lm	≥90Ra	3000K
B 3018-7-BK	1Lt Outdoor Ceiling Light	7-3/4" W X 4-1/8" H	BK	Frosted Glass + Aluminum	120V	1x60W			



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 3019-11-BK-L	LED Outdoor Ceiling Light	11-3/8" W X 4-7/8" H	BK	Frosted Glass + Aluminum	120V	15W	830Lm	≥80Ra	3000K
B 3019-11-BK	1Lt Outdoor Ceiling Light	11-3/8" W X 4-7/8" H	BK	Frosted Glass + Aluminum	120V	1x60W			

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 3069-7-BK	1Lt Outdoor Ceiling Light	7-1/2" L x 7-1/2" W x 5-1/8" H	BK	Textured Glass + Steel	120V	1x100W
B 3069-9-BK	1Lt Outdoor Ceiling Light	9-1/2" L x 9-1/2" W x 5-1/8" H	BK	Textured Glass + Steel	120V	1x13W

ARCHITECTURE LIGHTS OUTDOOR

ARCHITECTURE LIGHTS OUTDOOR

2272-2-BK-L



LED PHOTOCELL SENSOR

Item Number	Configuration	Dimensions	Finish	Material	Features	Input Voltage	Power	Lumens	CRI	CCT
A 2272-2-BK-LPIR	LED Wall Sconce	9-1/2"Wx7-1/8"Hx6-5/8"E	BK	Aluminum	Light Perception Sensor	120V	17W	1600Lm	≥80Ra	5000K

LED SECURITY LIGHT



SPECIFICATIONS:

Detection beam angle:180°
 Detection Distance: 26ft-50ft (adjustable)
 Sensor Adjustable Angle : Vertical
 Max 150°/Horizontal Max 360°
 Time Setting: 5S-5minutes±30%




LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2272-2-BK-MS	LED Security Light	6"WX12"HX3"E	BK	Aluminum	120V	18W	1200Lm	≥90Ra	3000K



ARCHITECTURE
LIGHTS OUTDOOR
2344-6-BK-L



LED

Additional Finishes:



White (WH)



Black (BK)

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2066-4-BK-L-1	LED Outdoor Wall Sconce	4-3/8" W X 7-1/8" H X 7-5/8" E	BK	Glass+Aluminum	120V	15W	620Lm	≥80Ra	3000K
B 2066-4-BK-L-2	LED Outdoor Wall Sconce	4-3/8" W X 11-3/4" H X 7-1/8" E	BK	Glass+Aluminum	120V	30W	2300Lm	≥90Ra	3000K



LED



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2344-6-BK-L	LED Outdoor Wall Sconce	6" W X 15" H X 8-1/2" E	BK	Glass+Aluminum	120V	2x13W	1170Lm	≥80Ra	3000K


**ARCHITECTURE
LIGHTS OUTDOOR**

2056-4-BK-L



**ARCHITECTURE
LIGHTS OUTDOOR**

2201-5-BK-L



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2056-4-BK-L	LED Wall Sconce	4-1/2"Wx4-1/2"H x3-3/4"E	BK	Aluminum-Clear	Glass 120V	14W	630Lm	≥80Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2201-5-BK-L	LED Wall Sconce	5-1/2"Wx4-3/4"Hx1-1/2"E	BK	Aluminum	120V	15W	455Lm	≥80Ra	3000K

**ARCHITECTURE
LIGHTS OUTDOOR**

2069-10-BK-L



2069-4-WH-L



2069-4-TS-L



2069-4-BK-L

LED



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
B 2069-10-BK-L	LED Outdoor Wall Sconce	4-3/4"Wx10"Hx4"E	BK	Aluminum	120V	10W	460Lm	≥90Ra	3000K

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2069-4-BK-L	LED Outdoor Wall Sconce	4-3/4"W X4-3/4" HX3-7/8"E	BK	Aluminum	120V	10W	460Lm	≥90Ra	3000K

**ARCHITECTURE
LIGHTS OUTDOOR**
2124-4-SH-L




**ARCHITECTURE
LIGHTS OUTDOOR**
2125-4-BK-L



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2124-4-SH-L	LED Wall Sconce	4-1/2"Wx16"Hx3-1/2"E	SH	Aluminum	120V	10W	650Lm	≥80Ra	3000K
B 2124-5-SH-L	LED Wall Sconce	5-3/4"Wx20"Hx4"E	SH	Aluminum	120V	15W	820Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2125-4-BK-L	LED Wall Sconce	6-1/2"Wx20"H x3-1/2"E	BK	Aluminum	120V	18W	900Lm	≥80Ra	3000K



2069-6-BK-L



2069-6-OBF-L



2069-6-WH-L



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
B 2069-6-BK-L	LED Outdoor Wall Sconce	5-7/8"Wx5-7/8"Hx4-5/8"E	BK	Aluminum	120V	10W	460Lm	≥90Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2078-6-BK-L	LED Wall Sconce	6"Wx5"Hx6"E	BK	Aluminum	120V	10W	620Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2357-6-BZ-L	LED Outdoor Wall Sconce	6" W X 14-3/8" H X 3-1/2" E	BZ	Acrylic+Steel	120V	20W	1800Lm	≥90Ra	3000K

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2386-4-TS-L	LED Outdoor Wall Sconce	4-1/2" W X 13" H X 5" E	TS	Aluminum+Glass	120V	12W	250Lm	≥80Ra	3000K

**ARCHITECTURE
LIGHTS OUTDOOR**

2104-6-WH-L



**ARCHITECTURE
LIGHTS OUTDOOR**

2370-7-BK-L



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
A 2104-6-WH-L	LED Wall Sconce	6"Wx12"Hx3"E	WH	Aluminum	120V	10W	800Lm	≥80Ra	3000K



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	Lumens	CRI	CCT
B 2370-7-BK-L	LED Outdoor Wall Sconce	7"Wx12"Hx1-3/4"E	BK	Aluminum	120V	8W	600Lm	≥80Ra	3000K

FLOOR LAMP & TABLE LAMP COLLECTION

DESIGNERS FOUNTAIN



A 2395-17-BN-L



B 7395-17-BN-L



C 7395-40-BN-L



1pc Touch Switch



1pc Outlet



2pcs USB



8'L 3 Conductor
Cord

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 2395-17-BN-L	LED Wall Sconce	4-3/4"Wx17-3/4" Hx3"E	BN	Steel+Aluminum	120V	10W	>80Ra	3000K
B 7395-17-BN-L	LED Table Lamp	6"Lx6"Wx17-1/2" H	BN	Steel+Aluminum	120V	10W	>80Ra	3000K
C 7395-40-BN-L	LED Floor Lamp	8"Lx8"Wx40-1/4" H	BN	Steel+Aluminum	120V	40W	>80Ra	3000K



1pc Touch Switch



1pc Outlet



2pcs USB



8'L 3 Conductor Cord



2006-7-BK-L



2006-7-GD-L



2006-7-WH-L



2006-7-BN-L



2006-7-CH-L

LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 2006-7-BN-L	LED Table Lamp	4-3/4"WX 7" H	BN	Steel+Aluminum	120V	10W	>80Ra	3000K
B 4006-17-BN-L	LED Table Lamp	7-7/8"WX 17-1/2" H	BN	Steel+Aluminum	120V	20W	>80Ra	3000K
C 4006-49-BN-L	LED Floor Lamp	11-7/8"WX 49-5/8" H	BN	Steel+Aluminum	120V	40W	>80Ra	3000K



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 4008-31-BN	1Lt Table Lamp	8-1/4" LX4"WX 31" H	BN	Fabric Shade+Steel	120V	1x60W



Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power
A 4010-26-OBZ	1Lt Table Lamp	7-3/4" LX4-3/4"WX 26-1/2" H	OBZ	Fabric Shade+Steel	120V	1x40W



LED

Item Number	Configuration	Dimensions	Finish	Material	Input Voltage	Power	CRI	CCT
A 4032-63-BN-L	LED Floor Lamp	7-7/8"WX 63" H	BN	Steel+Aluminum	120V	23W	>80Ra	3000K

14107 Brighton Ave
Gardena, CA 90249
(310) 882-9747
tasoroproducts.com

